

Product features

Cooking range electric 6x plate without cabinet 400 V

Model SAP Code 00004092




- Device type: Electric unit
- Power consumption of the zone 1 [kW]: 2
- Power consumption of the zone 2 [kW]: 2
- Power consumption of the zone 3 [kW]: 2
- Power consumption of the zone 4 [kW]: 2
- Power consumption of the zone 5 [kW]: 2
- Power consumption of the zone 6 [kW]: 2
- Protection of controls: IPX4
- Material: AISI 304 top plate, AISI 430 cladding

SAP Code	00004092	Number of zones	6
Net Width [mm]	988	Power consumption of the zone 1 [kW]	2
Net Depth [mm]	609	Power consumption of the zone 2 [kW]	2
Net Height [mm]	290	Power consumption of the zone 3 [kW]	2
Net Weight [kg]	33.00	Power consumption of the zone 4 [kW]	2
Power electric [kW]	12.000	Power consumption of the zone 5 [kW]	2
Loading	400 V / 3N - 50 Hz	Power consumption of the zone 6 [kW]	2



Technical drawing

Model SAP Code 00004092





Product benefits

Cooking range electric 6x plate without cabinet 400 V

 Model
 SAP Code
 00004092

1

Internal thermostatic plate protection

longer service life of the plates

- no overheating of the plates and no cracking

2

Degree of protection of the control elements IPX4

maintenance-free system resistance to splash water long life

- savings on service interventions
- greater job security for staff

3

All stainless steel design

long life resistance of AISI 304 stainless steel material the material does not cut

- savings on service interventions
- easy cleaning and maintenance of equipment

4

Hygienic moldings of the top plate

absence of sharp corners and edges (potential places where dirt could stick) smooth transitions

- easy quick cleaning

5

Cooking unit for use on a table or on a base

absence of sharp corners and edges (potential places where dirt could stick) smooth transitions

- easy handling
- cost savings on substructure



Technical parameters

Cooking range electric 6x plate w	vithout cabinet 400	V
Model	SAP Code	00004092
1. SAP Code: 00004092		15. Material: AISI 304 top plate, AISI 430 cladding
2. Net Width [mm]: 988		16. Indicators: operation
3. Net Depth [mm]: 609		17. Worktop type: Molded - comfortable cleaning maintenance
4. Net Height [mm]: 290		18. Worktop material: AISI 304
5. Net Weight [kg]: 33.00		19. Worktop Thickness [mm]: 0.80
6. Gross Width [mm]: 705		20. Number of zones:
7. Gross depth [mm]: 1055		21. Power consumption of the zone 1 [kW]:
8. Gross Height [mm]: 540		22. Power consumption of the zone 2 [kW]:
9. Gross Weight [kg]: 35.00		23. Power consumption of the zone 3 [kW]:
10. Device type: Electric unit		24. Power consumption of the zone 4 [kW]:
11. Construction type of device: Table top		25. Power consumption of the zone 5 [kW]:
12. Power electric [kW]: 12.000		26. Power consumption of the zone 6 [kW]:
13. Loading: 400 V / 3N - 50 Hz		27. Maximum device temperature [°C]: 400
14. Protection of controls:		28. Minimum device temperature [°C]:

50

IPX4



Technical parameters

	Cooking range electric 6x plate without cabinet 400 V				
	SAP Code	Model	00004092		
		20. Novel on a for construct of the second			
29. Number of power control stages:		-	32. Number of burners/not plates:		
2		29. Number of power control stage	32. Number of burners/hot plates:		

Oval

30. Safety element:

internal thermostatic protection of the hotplate against overheating

31. Adjustable feet:

Yes