



Electric stove with static electric oven 3x GN 1/1 - 8x hot plate 400 V

Model

SAP Code

00005935



- Device type: Electric unit
- Power consumption of the zone 1 [kW]: 3,5
- Power consumption of the zone 2 [kW]: 3,5
- Power consumption of the zone 3 [kW]: 3,5
- Power consumption of the zone 4 [kW]: 3,5
- Power consumption of the zone 5 [kW]: 3,5
- Power consumption of the zone 6 [kW]: 3,5
- Type of internal part of the appliance 1 (eg oven): Electric
- Type of internal part of the appliance 2 (eg oven): Static
- Protection of controls: IPX5
- Material: AISI 304

SAP Code	00005935	Power consumption of the zone 4 [kW]	3,5
Net Width [mm]	1600	Power consumption of the zone 5 [kW]	3,5
Net Depth [mm]	900	Power consumption of the zone 6 [kW]	3,5
Net Height [mm]	900	Power consumption of the zone 7 [kW]	3,5
Net Weight [kg]	224.00	Power consumption of the zone 8 [kW]	3,5
Power electric [kW]	37.200	Type of internal part of the appliance 1 (eg oven)	Electric
Loading	400 V / 3N - 50 Hz	Type of internal part of the appliance 2 (eg oven)	Static
Number of zones	8	Width of internal part [mm]	1085
Power consumption of the zone 1 [kW]	3,5	Depth of internal part [mm]	730
Power consumption of the zone 2 [kW]	3,5	Height of internal part [mm]	340
Power consumption of the zone 3 [kW]	3,5	Diameter of device [mm]	300





Electric stove with static electric oven 3x GN 1/1 - 8x hot plate 400 V

 Model
 SAP Code
 00005935

Round plates

quick warm-up efficient cooking on a round surface with easy adhesion to dishes

- time-saving in food preparation
- easy to use thanks to the large surface area of the cooking plates

Internal thermostatic plate protection

longer service life of the plates

- no overheating of the plates and no cracking

Degree of protection of the control elements IPX5

maintenance-free system resistance to splash water long life

- savings on service interventions
- easy cleaning and maintenance of equipment

All-stainless design

the material does not cut wear resistance of the material long life

- savings on service interventions
- easy cleaning and maintenance of equipment

Hygienic moldings of the top plate

absence of sharp corners and edges (potential places where dirt could stick) smooth transitions

easy quick cleaning

Large electric oven with four positions for racks with static cooking

possibility of baking high capacity and variability all-stainless design

- suitable for yeast dishes and desserts
- long service life
- easy to clean



Technical parameters

Model	SAP Code	00005935
1. SAP Code: 00005935		15. Exterior color of the device: Stainless steel
2. Net Width [mm]: 1600		16. Material: AISI 304
3. Net Depth [mm]: 900		17. Worktop type: Molded - comfortable cleaning maintenance
4. Net Height [mm]: 900		18. Worktop material: AISI 304
5. Net Weight [kg]: 224.00		19. Worktop Thickness [mm]: 2.00
6. Gross Width [mm]: 1670		20. Device heating type: Static baking
7. Gross depth [mm]: 1050		21. Number of zones:
8. Gross Height [mm]:		22. Power consumption of the zone 1 [kW]: 3,5
9. Gross Weight [kg]: 234.00		23. Power consumption of the zone 2 [kW]: 3,5
0. Device type: Electric unit		24. Power consumption of the zone 3 [kW]: 3,5
Construction type of device: With substructure		25. Power consumption of the zone 4 [kW]: 3,5
2. Power electric [kW]: 37.200		26. Power consumption of the zone 5 [kW]: 3,5
3. Loading: 400 V / 3N - 50 Hz		27. Power consumption of the zone 6 [kW]: 3,5

28. Power consumption of the zone 7 [kW]:

3,5

IPX5

14. Protection of controls:



Technical parameters

Model SAP Code	00005935	
9. Power consumption of the zone 8 [kW]: 3,5	41. Oven size: GN 2/1	
0. Maximum device temperature [°C]: 300	42. Oven material: Stainless steel	
21. Minimum device temperature [°C]: 50	43. Type of internal part of the appliance 1 (eg oven): Electric	
22. Number of power control stages: 6	44. Type of internal part of the appliance 2 (eg oven): Static	
33. Service accessibility: From the front by removing the front panel and waste fluid containers	45. Width of internal part [mm]: 1085	
44. Safety thermostat: Yes	46. Depth of internal part [mm]: 730	
85. Safety thermostat up to x ° C: 360	47. Height of internal part [mm]: 340	
66. Adjustable feet: Yes	48. Gasket: Yes	
87. Number of burners/hot plates:	49. Maximum temperature of the inner chamber [°C]: 300	
88. Diameter of device [mm]: 300	50. Minimum temperature of the inner chamber [°C]: 50	
9. Type of electric cooking zones: Oval	51. Cross-section of conductors CU [mm²]: 16 - Výkon (kW): 6,6-9 (230 V); 11-15 (400 V)	

electrical static