

# Technical data sheet

## Product features



### Fry-top griddle plate 97x48 gas chromed combined counter top

|              |                                  |                         |
|--------------|----------------------------------|-------------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00011364                |
| FTHRC 90 G   | <b>A group of articles - web</b> | Grills and grill plates |



- Top type: Combined
- Griddle dimensions [mm x mm]: 970 x 480
- Griddle thickness [mm]: 10.00
- Worktop material: Chrome plated steel
- Container for liquid fat: Yes
- Independent heating zones: Separate control for each heating zone
- Maximum device temperature [°C]: 300
- Surface finish: polished chrome 0.03 mm
- Removable rim: No
- Ignition: Piezo

|                        |          |                                     |                             |
|------------------------|----------|-------------------------------------|-----------------------------|
| <b>SAP Code</b>        | 00011364 | <b>Power gas [kW]</b>               | 12.000                      |
| <b>Net Width [mm]</b>  | 991      | <b>Type of gas</b>                  | Propane butane, natural gas |
| <b>Net Height [mm]</b> | 288      | <b>Griddle dimensions [mm x mm]</b> | 970 x 480                   |
| <b>Net Weight [kg]</b> | 75.00    | <b>Top type</b>                     | Combined                    |



# Technical data sheet

Technical drawing



## Fry-top griddle plate 97x48 gas chromed combined counter top

|              |                                  |                         |
|--------------|----------------------------------|-------------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00011364                |
| FTHRC 90 G   | <b>A group of articles - web</b> | Grills and grill plates |



# Technical data sheet



## Product benefits

### Fry-top griddle plate 97x48 gas chromed combined counter top

|              |                                  |                         |
|--------------|----------------------------------|-------------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00011364                |
| FTHRC 90 G   | <b>A group of articles - web</b> | Grills and grill plates |

1

#### **Safety element – thermocouple**

safe service for staff  
there is no unnecessary gas leakage  
long life

2

#### **Degree of protection of the control elements IPX4**

maintenance-free system  
resistance to splash water  
long life

3

#### **Outlet for waste liquids**

ensures that oil drips into the socket

4

#### **High non-removable hem**

better hygienic conditions  
preventing grease from splashing onto  
ancillary equipment

5

#### **Sandblasted steel plate**

good heat transfer  
uniform heating

6

#### **Cooking unit for use on a table or on a base**

variable use  
the possibility of placement in smaller spaces

7

#### **All stainless steel design**

long life  
resistance of AISI 304 stainless steel material  
the material does not cut

# Technical data sheet

## Technical parameters



### Fry-top griddle plate 97x48 gas chromed combined counter top

|                   |                                  |                         |
|-------------------|----------------------------------|-------------------------|
| <b>Model</b>      | <b>SAP Code</b>                  | 00011364                |
| <b>FTHRC 90 G</b> | <b>A group of articles - web</b> | Grills and grill plates |

**1. SAP Code:**

00011364

**2. Net Width [mm]:**

991

**3. Net Height [mm]:**

288

**4. Net Weight [kg]:**

75.00

**5. Gross Width [mm]:**

705

**6. Gross depth [mm]:**

1055

**7. Gross Height [mm]:**

540

**8. Gross Weight [kg]:**

85.00

**9. Device type:**

Gas unit

**10. Construction type of device:**

Table top

**11. Power gas [kW]:**

12.000

**12. Ignition:**

Piezo

**13. Type of gas:**

Propane butane, natural gas

**14. Protection of controls:**

IPX4

**15. Material:**

AISI 430

**16. Worktop material:**

Chrome plated steel

**17. Surface finish:**

polished chrome 0.03 mm

**18. Maximum device temperature [°C]:**

300

**19. Minimum device temperature [°C]:**

50

**20. Adjustable feet:**

Yes

**21. Griddle dimensions [mm x mm]:**

970 x 480

**22. Griddle thickness [mm]:**

10.00

**23. Container for liquid fat:**

Yes

**24. Independent heating zones:**

Separate control for each heating zone

**25. Removable rim:**

No

**26. Uniform heating:**

Yes

**27. Top type:**

Combinated

**28. Connection to a ball valve:**

1/2