

Technical data sheet

Product features



Cooling tabletop electric GN1/1, 2 doors, with stainless steel rim 230V OOP

Model	SAP Code	00019541
SCH 2D DL	A group of articles - web	Cooling and freezing tables



- Material: Stainless steel
- GN / EN size in device: GN 1/1
- Number of GN / EN: 2
- Number of doors: 2
- Control type: Digital
- Minimum device temperature [°C]: -2
- Maximum device temperature [°C]: 8
- Max ambient temperature [°C]: 43
- Insulation thickness [mm]: 70
- Unit: Right

SAP Code	00019541	Number of doors	2
Net Width [mm]	1380	Number of GN / EN	2
Net Depth [mm]	700	GN / EN size in device	GN 1/1
Net Height [mm]	850	Minimum device temperature [°C]	-2
Net Weight [kg]	110.00	Maximum device temperature [°C]	8
Power electric [kW]	0.350	Refrigerant	R290
Loading	230 V / 1N - 50 Hz		

Technical data sheet

Technical parameters



Cooling tabletop electric GN1/1, 2 doors, with stainless steel rim 230V OOP

Model	SAP Code	00019541
SCH 2D DL	A group of articles - web	Cooling and freezing tables

1. SAP Code:

00019541

2. Net Width [mm]:

1380

3. Net Depth [mm]:

700

4. Net Height [mm]:

850

5. Net Weight [kg]:

110.00

6. Gross Width [mm]:

1450

7. Gross depth [mm]:

750

8. Gross Height [mm]:

900

9. Gross Weight [kg]:

130.00

10. Device type:

Electric unit

11. Power electric [kW]:

0.350

12. Loading:

230 V / 1N - 50 Hz

13. Refrigerant:

R290

14. Material:

Stainless steel

15. Max ambient temperature [°C]:

43

16. Device properties 2:

Cooling

17. GN / EN size in device:

GN 1/1

18. Number of GN / EN:

2

19. Adjustable feet:

Yes

20. Pizza design:

No

21. Insulation thickness [mm]:

70

22. Number of doors:

2

23. Unit:

Right

24. Control type:

Digital

25. Minimum device temperature [°C]:

-2

26. Maximum device temperature [°C]:

8

27. Gross Volume [m3]:

0.979

28. Net Volume [m3]:

0.821

Technical data sheet

Technical parameters



Cooling tabletop electric GN1/1, 2 doors, with stainless steel rim 230V OOP

Model	SAP Code	00019541
SCH 2D DL	A group of articles - web	Cooling and freezing tables

29. Cross-section of conductors CU [mm²]:

0,5