

Product features

Fry-top griddle plate 32x48 electric chromed smooth counter top 230 V

Model SAP Code 00000988



- Top type: Smooth
- Griddle dimensions [mm x mm]: 320 x 480
- Griddle thickness [mm]: 10.00
- Container for liquid fat: Yes
- Maximum device temperature [°C]: 300
- Surface finish: polished chrome 0.03 mm
- Removable rim: No


| SAP Code | 00000988 | Power electric [kW] | 3.000 |
|-----------------|----------|------------------------------|--------------------|
| Net Width [mm] | 328 | Loading | 230 V / 1N - 50 Hz |
| Net Depth [mm] | 541 | Griddle dimensions [mm x mm] | 320 x 480 |
| Net Height [mm] | 285 | Top type | Smooth |
| Net Weight [kg] | 23.70 | | |




Technical drawing

| Fry-top griddle plate 32x48 electric chromed smooth | counter top 230 V |
|---|-------------------|
|---|-------------------|

Model SAP Code 00000988







Product benefits

Fry-top griddle plate 32x48 electric chromed smooth counter top 230 V

Model SAP Code 00000988

All-stainless design

long life resistance of AISI 304 stainless steel material the material does not cut

- savings on service interventions
- easy cleaning and maintenance of equipment

Degree of protection of the control elements IPX4

maintenance-free system resistance to splash water long life

- savings on service interventions
- easy cleaning and maintenance of equipment

Outlet for waste liquids

ensures that oil drips into the socket

- easy maintenance
- easy cleaning

High non-removable hem

better hygienic conditions preventing grease from splashing onto ancillary equipment

- easy maintenance
- easy cleaning

Plate made of chrome-plated steel

the product bakes less and is easier to clean a good warming of the meat with a groove

- time-saving for food preparation
- no reheating and long cooking times

Cooking unit for use on a table or on a base

variable use

the possibility of placement in smaller spaces

- easy handling
- cost savings on substructure

tel.: +420 381 582 284 e-mail: rmgastro@rmgastro.com web: www.rmgastro.com

2024-07-03

2



Technical parameters

| Fry-top griddle plate 32x48 elect | | |
|--|----------|--|
| Model | SAP Code | 00000988 |
| | | |
| 1. SAP Code: | | 14. Protection of controls: |
| 00000988 | | IPX4 |
| 2. Net Width [mm]: 328 | | 15. Material: AISI 430 |
| 3. Net Depth [mm]: 541 | | 16. Indicators: operation and warm-up |
| 4. Net Height [mm]: 285 | | 17. Surface finish: polished chrome 0.03 mm |
| 5. Net Weight [kg]: 23.70 | | 18. Maximum device temperature [°C]: 300 |
| 6. Gross Width [mm]: 670 | | 19. Minimum device temperature [°C]: 50 |
| 7. Gross depth [mm]: 395 | | 20. Adjustable feet: Yes |
| 8. Gross Height [mm]: 362 | | 21. Griddle dimensions [mm x mm]: 320 × 480 |
| 9. Gross Weight [kg]: 26.70 | | 22. Griddle thickness [mm]: 10.00 |
| 10. Device type: Electric unit | | 23. Container for liquid fat: Yes |
| 11. Construction type of device: Table top | | 24. Removable rim: |
| 12. Power electric [kW]: 3.000 | | 25. Uniform heating: Yes |
| 13. Loading: | | 26. Top type: |

Smooth

230 V / 1N - 50 Hz