265.00

Product features



Universal mixer planetary 3 speed 40 l 400 V					
Model	SAP Code	00003705			
<image/> <image/>		<ul> <li>Control type: Mechanical</li> <li>Safety cover: stainless steel with a</li> <li>Start /stop: Yes</li> <li>Safety element: total stop completed device in case of opening the comoperator from injury</li> <li>Number of speeds of device: 3</li> <li>Standard equipment for device: b</li> <li>Additional information: possibilitigrinder, vegetable grinder and 20</li> <li>Mixing system: With a fixed contaition: Way of tool mounting: Planets</li> </ul>	ete stop of the tainer protects the poiler, whisk, hook, stirrer y of purchasing a meat l boiler with reduction		
SAP Code	00003705	Power electric [kW]	1.200		
Net Width [mm]	632	Loading	400 V / 3N - 50 Hz		
Net Depth [mm]	720	Bowl lift	Mechanical		
Net Height [mm]	1300	Weight capacity of the device container [kg]	40.00		

Net Weight [kg]

Technical drawing





Universal mixer planetary 3 speed 40 l 400 V

Model

SAP Code

00003705





tel.: +420 381 582 284 e-mail: rmgastro@rmgastro.com web: www.rmgastro.com



el	SAP Code	00003705
	<b>Planetary storage of attachments</b> <b>with 3 speeds</b> the attachments rotate around their axis and at the same time go around in a circle without the need to rotate the	
	vessel (boiler) – better mixing of ingredients; better quality of prepared dough	
2	Additional devices the possibility of grinding or grinding, or wiper arms, or handling carts – mutifunctionality	
3	<b>Content 5 80L</b> wide sortiment – always the ideal size for every operation	
4	Safety microswitch without closing the microswitch, the machine will not start – avoiding possible injury to the operator	
5	<ul> <li>Protective cover with filling opening</li> <li>without closing the microswitch, the machine</li> <li>will not start</li> <li>Ingredients can be added additionally while ensuring the safety of the staff</li> </ul>	
6	<ul> <li>Whisk, hook, stirrer</li> <li>great basic equipment</li> <li>there is no need to buy additional equipment for whipping or kneading</li> </ul>	
7	No oil bath the robot has a gearbox that is not stored in an oil basin – no release of gear oil into the food	
8	<ul> <li>Reduction boiler</li> <li>possibility to buy a reducing boiler that fits comfortably in a larger machine, but the volume is smaller than the boiler original</li> <li>simplification of working with smaller volumes of raw materials; the customer does not have to buy a second smaller machine afterwards</li> </ul>	

Technical parameters



Universal mixer planetary 3 speed 40 l 400 V				
Model	SAP Code	00003705		
<b>1. SAP Code:</b> 00003705		14. Control type: Mechanical		
<b>2. Net Width [mm]:</b> 632		<b>15. Safety cover:</b> stainless steel with a filling hole		
<b>3. Net Depth [mm]:</b> 720		<b>16. Safety element:</b> total stop complete stop of the device in case of opening the container protects the operator from injury		
<b>4. Net Height [mm]:</b> 1300		<b>17. Way of tool mounting:</b> Planets		
<b>5. Net Weight [kg]:</b> 265.00		<b>18. Safety Microswitch:</b> Yes		
6. Gross Width [mm]: 730		<b>19. Start /stop:</b> Yes		
<b>7. Gross depth [mm]:</b> 820		<b>20. Timer:</b> Yes		
8. Gross Height [mm]: 1200		<b>21. Standard equipment for device:</b> boiler, whisk, hook, stirrer		
<b>9. Gross Weight [kg]:</b> 290.00		<b>22. Additional information:</b> possibility of purchasing a meat grinder, vegetable grinder and 20l boiler with reduction		
<b>LO. Device type:</b> Electric unit		<b>23. Unmountable bowl:</b> Yes		
<b>11. Power electric [kW]:</b> 1.200		<b>24. Bowl lift:</b> Mechanical		
L2. Loading: 400 V / 3N - 50 Hz		<b>25. Suitable operations:</b> Mixing, whipping and kneading		
<b>13. Number of speeds of device:</b> 3		<b>26. Mixing system:</b> With a fixed container		



Universal mixer planetary 3 speed 40 l 400 V					
Model	SAP Code	00003705			

27. Weight capacity of the device container [kg]: 40.00