

# Technical data sheet

Product features



## Ice maker hollow ice cube 22 g air cooling 112 kg/24h

<b>Model</b>	<b>SAP Code</b>	00018498
--------------	-----------------	----------



- Cooling type: Air
- Max ambient temperature [°C]: 43
- Min ambient temperature [°C]: 10
- Type of ice: Hatter
- Weight of ice [g]: 22.00
- Production per day [kg]: 112
- Water consumption [ l/h ]: 14.20
- Container for ice: Yes
- Ice storage capacity [kg]: 60
- Material: AISI 304

<b>SAP Code</b>	00018498	<b>Cooling type</b>	Air
<b>Net Width [mm]</b>	715	<b>Water consumption [ l/h ]</b>	14.20
<b>Net Depth [mm]</b>	700	<b>Production per day [kg]</b>	112
<b>Net Height [mm]</b>	1149	<b>Type of ice</b>	Hatter
<b>Net Weight [kg]</b>	95.00	<b>Weight of ice [g]</b>	22.00
<b>Power electric [kW]</b>	0.934	<b>Ice storage capacity [kg]</b>	60
<b>Loading</b>	230 V / 1N - 50 Hz	<b>Drain pump</b>	No





# Technical data sheet

Technical drawing



Ice maker hollow ice cube 22 g air cooling 112 kg/24h

<b>Model</b>	<b>SAP Code</b>	00018498
--------------	-----------------	----------



\* All measurements in mm.  
\* Todas las cotas en mm.

# Technical data sheet

## Product benefits



### Ice maker hollow ice cube 22 g air cooling 112 kg/24h

Model	SAP Code	00018498
-------	----------	----------

- 1 Firm and crystal clear ice hats**  
icy hats without dirt
  - health safety and aesthetic impression
- 2 A3S: System with flexible nozzles with minor vibrations**  
prevents limescale from settling.
  - longer life of the device without the need to remove scale
- 3 SFVS front ventilation**  
allows the units of the unit to the interior
  - variability of the location of the device
- 4 Cleaning switch**  
disconnects the cooling system when circulating water with a limescale removal product
  - saving human work and time
- 5 Motor pump "NEVER STOP" (construction without seal)**  
prevents depreciation in hard water
  - longer life of the device without the need to remove scale = economic and time savings
- 6 EASI: Installation and service system - all panels can be removed separately**  
easy access for installation and service.
  - saving time, human work, costs
- 7 Printed circuit board at the bottom**  
easy service
  - saving time and human work
- 8 Tropical version of the machine (class t)**  
adaptation to extreme climatic conditions.
  - use in extreme climatic conditions
- 9 Stif: a construction supported by 4 -steel columns**  
strength
  - the possibility of higher loads and a difficult deformation

# Technical data sheet

## Technical parameters



### Ice maker hollow ice cube 22 g air cooling 112 kg/24h

<b>Model</b>	<b>SAP Code</b>	00018498
--------------	-----------------	----------

**1. SAP Code:**

00018498

**2. Net Width [mm]:**

715

**3. Net Depth [mm]:**

700

**4. Net Height [mm]:**

1149

**5. Net Weight [kg]:**

95.00

**6. Gross Width [mm]:**

790

**7. Gross depth [mm]:**

770

**8. Gross Height [mm]:**

1180

**9. Gross Weight [kg]:**

102.00

**10. Device type:**

Electric unit

**11. Power electric [kW]:**

0.934

**12. Loading:**

230 V / 1N - 50 Hz

**13. Refrigerant:**

R290

**27. Drain pump:**

No

**14. Cooling type:**

Air

**15. Material:**

AISI 304

**16. Exterior color of the device:**

Stainless steel

**17. Min ambient temperature [°C]:**

10

**18. Max ambient temperature [°C]:**

43

**19. Additional information:**

Max. height with legs 1199 mm

**20. Production per day [kg]:**

112

**21. Water consumption [ l/h ]:**

14.20

**22. Door of device:**

Full

**23. Type of ice:**

Hatter

– Kloboučkový

**24. Weight of ice [g]:**

22.00

**25. Container for ice:**

Yes

**26. Ice storage capacity [kg]:**

60

**29. Water supply connection:**

3/4"

# Technical data sheet

Technical parameters



Ice maker hollow ice cube 22 g air cooling 112 kg/24h

Model

SAP Code

00018498

---

## 28. Cross-section of conductors CU [mm<sup>2</sup>]:

0,5

– Výkon (kW): 2,4-3,3 (230 V)

---

## 30. Diameter nominal:

DN 50