



Cooking range glass ceramic drop-in electric 2x drop-in plate 400 V

Model SAP Code 00007446



- Device type: Electric unit
- Power consumption of the zone 1 [kW]: 2,5
- Power consumption of the zone 2 [kW]: 2,5
- Protection of controls: IPX5
- Material: Stainless steel


SAP Code	00007446	Loading	400 V / 3N - 50 Hz
Net Width [mm]	400	Number of zones	2
Net Depth [mm]	600	Power consumption of the zone 1 [kW]	2,5
Net Height [mm]	50	Power consumption of the zone 2 [kW]	2,5
Net Weight [kg]	10.00	Ceramic glass dimensions [mm x mm]	350 x 570
Power electric [kW]	5.000		




Technical drawing

Cooking range glass ceramic drop-in electric 2x drop-in plate 400 V

Model SAP Code 00007446





Α	Data plate		В	Electrical connection		
---	------------	--	---	-----------------------	--	--





Cooking range glass ceramic drop-in electric 2x drop-in plate 400 V

Model SAP Code 00007446

Glass ceramic surface

quick warm-up

uniform heating and residual heat indicator

- saving time in food preparation
- no reheating and long cooking times
- material does not rust

Internal thermostatic plate protection

longer service life of the plates

- no overheating of the plates and no cracking

Degree of protection of the control elements IPX5

maintenance-free system resistance to splash water long life

- savings on service interventions
- easy cleaning and maintenance of equipment

All-stainless design

the material does not cut wear resistance of the material long life

- savings on service interventions
- easy cleaning and maintenance of equipment

Hygienic moldings of the top plate

absence of sharp corners and edges (potential places where dirt could stick) smooth transitions

- easy quick cleaning

Variability

the possibility of attaching to a fixed plate as part of a monoblock the possibility of creating one module long life

- cost saving
- space saving
- long service life

tel.: +420 381 582 284 e-mail: rmgastro@rmgastro.com web: www.rmgastro.com





Cooking range glass ceramic drop	o-in electric 2x arop	o-in plate 400 v
Model	SAP Code	00007446
1. SAP Code: 00007446		14. Protection of controls: IPX5
2. Net Width [mm]: 400		15. Material: Stainless steel
3. Net Depth [mm]: 600		16. Worktop type: Molded - comfortable cleaning maintenance
4. Net Height [mm]: 50		17. Worktop material: AISI 304
5. Net Weight [kg]: 10.00		18. Worktop Thickness [mm]: 2.00
6. Gross Width [mm]: 430		19. Number of zones:
7. Gross depth [mm]: 630		20. Power consumption of the zone 1 [kW]:
8. Gross Height [mm]: 470		21. Power consumption of the zone 2 [kW]: 2,5
9. Gross Weight [kg]: 12.00		22. Number of power control stages:
10. Device type: Electric unit		23. Service accessibility: From the front by removing the front panel and waste fluid containers
L1. Construction type of device: Drop-in		24. Safety element: internal thermostatic protection of the hotplate against overheating
2. Power electric [kW]: 5.000		25. Safety thermostat: Yes
13. Loading:		26. Number of burners/hot plates:

400 V / 3N - 50 Hz



Technical parameters

Cooking range glass ceramic drop-in electric 2x drop-in plate 400 V			
Model	SAP Code	00007446	

27. Type of electric cooking zones:

Glass ceramic

28. Ceramic glass dimensions [mm x mm]:

350 x 570