

Technical data sheet

Product features



Cooking range glass ceramic 4 zones

Model	SAP Code	00013588
--------------	-----------------	----------



- Device type: Electric unit
- Power consumption of the zone 1 [kW]: 3,4
- Power consumption of the zone 2 [kW]: 3,4
- Power consumption of the zone 3 [kW]: 3,4
- Power consumption of the zone 4 [kW]: 3,4
- Protection of controls: IPX5
- Material: Stainless steel

SAP Code	00013588	Loading	400 V / 3N - 50 Hz
Net Width [mm]	800	Number of zones	4
Net Depth [mm]	800	Power consumption of the zone 1 [kW]	3,4
Net Height [mm]	50	Power consumption of the zone 2 [kW]	3,4
Net Weight [kg]	40.00	Power consumption of the zone 3 [kW]	3,4
Power electric [kW]	13.600	Power consumption of the zone 4 [kW]	3,4

Technical data sheet

Technical drawing




Cooking range glass ceramic 4 zones

Model

SAP Code

00013588



A	Data plate		B	Electrical connection	
---	------------	--	---	-----------------------	--

Technical data sheet

Technical parameters



Cooking range glass ceramic 4 zones

Model

SAP Code

00013588

1. SAP Code:

00013588

2. Net Width [mm]:

800

3. Net Depth [mm]:

800

4. Net Height [mm]:

50

5. Net Weight [kg]:

40.00

6. Gross Width [mm]:

830

7. Gross depth [mm]:

970

8. Gross Height [mm]:

540

9. Gross Weight [kg]:

48.00

10. Device type:

Electric unit

11. Construction type of device:

Drop-in

12. Power electric [kW]:

13.600

13. Loading:

400 V / 3N - 50 Hz

14. Protection of controls:

IPX5

15. Material:

Stainless steel

16. Worktop type:

Molded - comfortable cleaning maintenance

17. Worktop material:

AISI 304

18. Worktop Thickness [mm]:

2.00

19. Number of zones:

4

20. Power consumption of the zone 1 [kW]:

3,4

21. Power consumption of the zone 2 [kW]:

3,4

22. Power consumption of the zone 3 [kW]:

3,4

23. Power consumption of the zone 4 [kW]:

3,4

24. Number of power control stages:

6

25. Service accessibility:

From the front by removing the front panel and waste fluid containers

26. Safety element:

internal thermostatic protection of the hotplate against overheating

Technical data sheet

Technical parameters



Cooking range glass ceramic 4 zones

Model	SAP Code	00013588
--------------	-----------------	----------

27. Safety thermostat:

Yes

29. Type of electric cooking zones:

Glass ceramic

28. Number of burners/hot plates:

4

30. Cross-section of conductors CU [mm²]:

4

– Výkon (kW): 30-37 (230 V); 53-64 (400 V)