

Technical data sheet

Product features



Linear counter top cooling counter GN 1/1, 5x1 drawer stainless steel

Model	SAP Code	00018578
--------------	-----------------	----------

- Material: AISI 304
- GN / EN size in device: GN 1/1
- Number of GN / EN: 5
- Control type: Digital
- Minimum device temperature [°C]: -2
- Maximum device temperature [°C]: 7
- Max ambient temperature [°C]: 40
- Insulation thickness [mm]: 50
- Unit: Right
- Automatic defrost: Yes

SAP Code	00018578	Energy class	D
Net Width [mm]	1600	Number of GN / EN	5
Net Depth [mm]	685	GN / EN size in device	GN 1/1
Net Height [mm]	613	Minimum device temperature [°C]	-2
Net Weight [kg]	128.00	Maximum device temperature [°C]	7
Power electric [kW]	0.130	Refrigerant	R290
Loading	230 V / 1N - 50 Hz	Climate class	5

Technical data sheet

Technical parameters



Linear counter top cooling counter GN 1/1, 5x1 drawer stainless steel

Model	SAP Code	00018578
-------	----------	----------

1. SAP Code:

00018578

2. Net Width [mm]:

1600

3. Net Depth [mm]:

685

4. Net Height [mm]:

613

5. Net Weight [kg]:

128.00

6. Gross Width [mm]:

1620

7. Gross depth [mm]:

705

8. Gross Height [mm]:

700

9. Gross Weight [kg]:

151.40

10. Device type:

Electric unit

11. Power electric [kW]:

0.130

12. Loading:

230 V / 1N - 50 Hz

13. Energy class:

D

14. Refrigerant:

R290

15. Material:

AISI 304

16. Exterior color of the device:

Stainless steel

17. Max ambient temperature [°C]:

40

18. Device properties 2:

Cooling

19. GN / EN size in device:

GN 1/1

20. Number of internal parts:

5

21. Number of GN / EN:

5

22. Insulation thickness [mm]:

50

23. Unit:

Right

24. Control type:

Digital

25. Annual energy consumption [kWh]:

1550

26. Minimum device temperature [°C]:

-2

27. Maximum device temperature [°C]:

7

28. Automatic defrost:

Yes

Technical data sheet

Technical parameters



Linear counter top cooling counter GN 1/1, 5x1 drawer stainless steel

Model

SAP Code

00018578

29. Gross Volume [m3]:

0.799

31. Climate class:

5

30. Net Volume [m3]:

0.672

32. Cross-section of conductors CU [mm²]:

0,5

– Výkon (kW): 2,4-3,3 (230 V)