Technical data sheet





Meat mincer 2 grinding groups removable grinding unit 500 kg/h 400 V

Model SAP Code



- Composition for meat grinders: Two-fold
- Maximal production per hour [kg/h]: 500
- Unmountable head: Yes

00004841

- Material: Stainless steel
- Diameter of inner matrix [mm]: 8 + 4,5
- Diameter of outer matrix [mm]: 100
- Standard equipment for device: plastic push pin
- Suitable consumer: suitable for meat and sausage shops
- Additional information: tomato press can be purchased
- Main switch: Yes

| SAP Code | 00004841 | Power electric [kW] | 2.200 |
|-----------------|----------|------------------------------------|--------------------|
| Net Width [mm] | 320 | Loading | 400 V / 3N - 50 Hz |
| Net Depth [mm] | 520 | Maximal production per hour [kg/h] | 500 |
| Net Height [mm] | 550 | Unmountable head | Yes |
| Net Weight [kg] | 53.00 | Composition for meat grinders | Two-fold |

Technical data sheet





Meat mincer 2 grinding groups removable grinding unit 500 kg/h 400 V

Model SAP Code 00004841

Double fold

better product processing

- thanks to the double composition, the machine provides multiple food processing options and thus saves costs and time by grinding it to the desired fineness and texture in one go
- Production 500kg/h large capacity
 - great price/performance ratio
 - time and cost saving
 - All-stainless design robustness purity
 - long service life
 - very easy to clean
- Removable head easy maintenance hygienic cleanliness
 - thanks to the removable head, it is much easier to clean and thus saves time
 - better cleaning quality ensures hygienic safety
- Stainless steel hopper easy maintenance hygienic cleanliness
 - very long hopper life due to robustness
 - very easy to maintain hygienic cleanliness thanks to smooth surface and rounded corners

Technical data sheet



Technical parameters

| Meat mincer 2 grinding groups remove | able grinding unit 500 kg/h 400 V |
|--------------------------------------|---|
| Model | P Code 00004841 |
| | |
| 1. SAP Code: 00004841 | 13. Loading: 400 V / 3N - 50 Hz |
| 2. Net Width [mm]: 320 | 14. Suitable consumer: suitable for meat and sausage shops |
| 3. Net Depth [mm]: 520 | 15. Main switch: Yes |
| 4. Net Height [mm]: 550 | 16. Unmountable head: Yes |
| 5. Net Weight [kg]: 53.00 | 17. Maximal production per hour [kg/h]: 500 |
| 6. Gross Width [mm]: 420 | 18. Standard equipment for device: plastic push pin |
| 7. Gross depth [mm]: 570 | 19. Additional information: tomato press can be purchased |
| 8. Gross Height [mm]: 680 | 20. Composition for meat grinders: Two-fold |
| 9. Gross Weight [kg]: 59.00 | 21. Diameter of inner matrix [mm]: 8 + 4,5 |
| LO. Device type: Electric unit | 22. Diameter of outer matrix [mm]: |
| 1. Material: Stainless steel | 23. Inverse of device: Yes |
| 12. Power electric [kW]: | 24. Cross-section of conductors CU [mm²]: |

1

2.200