

Technical data sheet

Product features



Bain marie electric with cabinet

Model	SAP Code	00014510
--------------	-----------------	----------



- Water inlet: automatic valve operated by button
- Drain type: On the front panel
- Safety drain: Yes
- Material: AISI 304 top plate and cladding
- Protection of controls: IP24
- Maximum device temperature [°C]: 90

SAP Code	00014510	Power electric [kW]	3.200
Net Width [mm]	800	Loading	230 V / 1N - 50 Hz
Net Depth [mm]	730	Number of GN / EN	1
Net Height [mm]	900	GN / EN size in device	GN 2/1
Net Weight [kg]	43.30	GN device depth	200

Technical data sheet

Technical drawing




Bain marie electric with cabinet

Model

SAP Code

00014510



Technical data sheet

Technical parameters



Bain marie electric with cabinet

Model

SAP Code

00014510

1. SAP Code:

00014510

2. Net Width [mm]:

800

3. Net Depth [mm]:

730

4. Net Height [mm]:

900

5. Net Weight [kg]:

43.30

6. Gross Width [mm]:

840

7. Gross depth [mm]:

800

8. Gross Height [mm]:

1080

9. Gross Weight [kg]:

53.50

10. Device type:

Electric unit

11. Construction type of device:

With substructure

12. Power electric [kW]:

3.200

13. Loading:

230 V / 1N - 50 Hz

14. Protection of controls:

IP24

15. Exterior color of the device:

Stainless steel

16. Material:

AISI 304 top plate and cladding

17. Indicators:

operation and warm-up

18. Worktop type:

Molded - comfortable cleaning maintenance

19. Worktop material:

AISI 304

20. Worktop Thickness [mm]:

1.50

21. Surface finish:

polished stainless steel

22. Maximum device temperature [°C]:

90

23. Minimum device temperature [°C]:

30

24. Service accessibility:

Trough the frontal panel

25. Adjustable feet:

Yes

26. Number of basins:

1

27. Basin material:

AISI 304 - High quality stainless steel

28. Water inlet:

automatic valve operated by button

Technical data sheet

Technical parameters



Bain marie electric with cabinet

Model

SAP Code

00014510

29. Drain type:

On the front panel

34. Water supply connection:

3/4"

30. Safety drain:

Yes

35. Heating location:

Under the bottom of the bathtub

31. Number of GN / EN:

1

36. Cross-section of conductors CU [mm²]:

0,75

- Výkon (kW): 3,3-3,7 (230 V)

32. GN / EN size in device:

GN 2/1

37. Diameter nominal:

DN 50

33. GN device depth:

200