



#### Universal mixer planetary 4 speed 60 l 400 V

**Model SAP Code** 00008683



- Control type: Mechanical
- Safety cover: stainless steel with a filling hole
- Start /stop: Yes
- Safety element: total stop complete stop of the device in case of opening the container protects the operator from injury
- Number of speeds of device: 4
- Standard equipment for device: boiler, whisk, hook, stirrer and kettle handling trolley
- Additional information: meat grinder, vegetable grinder and 40 l boiler with reduction can be purchased
- Mixing system: With a fixed container
- Way of tool mounting: Planets


| SAP Code        | 00008683 | Power electric [kW]                          | 3.750              |
|-----------------|----------|--|--------------------|
| Net Width [mm]  | 1080     | Loading                                      | 400 V / 3N - 50 Hz |
| Net Depth [mm]  | 790      | Bowl lift                                    | Motorised          |
| Net Height [mm] | 1560     | Weight capacity of the device container [kg] | 60.00              |
| Net Weight [kg] | 455.00   |  |                    |




Technical drawing

#### Universal mixer planetary 4 speed 60 l 400 V

Model SAP Code 00008683









#### Universal mixer planetary 4 speed 60 l 400 V

**Model SAP Code** 00008683

### Planetary storage of attachments with 4 speeds

the attachments rotate around their axis and at the same time go around in a circle without the need to rotate the vessel (boiler)

better mixing of ingredients; better quality of prepared dough

#### Additional devices

the possibility of grinding or grinding, or wiper arms, or handling carts

- mutifunctionality

#### **Content 5 80L**

wide sortiment

- always the ideal size for every operation

#### **Safety microswitch**

without closing the microswitch, the machine will not start

avoiding possible injury to the operator

#### Protective cover with filling opening

without closing the microswitch, the machine will not start

 Ingredients can be added additionally while ensuring the safety of the staff

#### Broom, hook, mixer, handling cart

great basic equipment

there is no need to buy additional equipment for whipping or kneading

#### No oil bath

the robot has a gearbox that is not stored in an oil basin

- no release of gear oil into the food

#### **Reduction boiler**

possibility to buy a reducing boiler that fits comfortably in a larger machine, but the volume is smaller than the boiler original

 simplification of working with smaller volumes of raw materials; the customer does not have to buy a second smaller machine afterwards

#### Automatic lift

convenient lifting of the container (boiler) using the motor

simplification of maintenance work when lifting a heavy 8l boiler

tel.: +420 381 582 284 e-mail: rmgastro@rmgastro.com web: www.rmgastro.com

2024-11-20

3



### Technical parameters

| Universal mixer planetary 4 spe           | ed 60 l 400 V |  |
|---|---------------|--|
| Model                                     | SAP Code      | 00008683   |
|   |               |  |
| <b>1. SAP Code:</b> 00008683              |               | 14. Control type:  Mechanical  |
| 2. Net Width [mm]:<br>1080                |               | 15. Safety cover:  stainless steel with a filling hole   |
| <b>3. Net Depth [mm]:</b> 790             |               | 16. Safety element:  total stop complete stop of the device in case of opening the container protects the operator from injury |
| 4. Net Height [mm]: 1560                  |               | 17. Way of tool mounting:  Planets   |
| <b>5. Net Weight [kg]:</b> 455.00         |               | 18. Safety Microswitch:  Yes   |
| <b>6. Gross Width [mm]:</b> 1150          |               | 19. Start /stop: Yes   |
| <b>7. Gross depth [mm]:</b> 850           |               | <b>20. Timer:</b> Yes  |
| 8. Gross Height [mm]: 1650                |               | <b>21. Standard equipment for device:</b> boiler, whisk, hook, stirrer and kettle handling trolley                             |
| 9. Gross Weight [kg]:<br>500.00           |               | <b>22. Additional information:</b> meat grinder, vegetable grinder and 40 l boiler with reduction can be purchased             |
| <b>LO. Device type:</b><br>Electric unit  |               | 23. Unmountable bowl: Yes  |
| 1. Power electric [kW]:<br>3.750          |               | <b>24. Bowl lift:</b> Motorised  |
| <b>L2. Loading:</b><br>400 V / 3N - 50 Hz |               | <b>25. Suitable operations:</b> Mixing, whipping and kneading  |

4

13. Number of speeds of device:

26. Mixing system:

With a fixed container



### Technical parameters

| Universal mixer planetary 4 speed 60 l 400 V |          |          |  |  |
|--|----------|----------|--|--|
| Model  | SAP Code | 00008683 |  |  |

27. Weight capacity of the device container [kg]:

60.00