

# Technical data sheet



## Product features

### Steak grill electric double 65x48 table durable chrome

<b>Model</b>	<b>SAP Code</b>	00021115
--------------	-----------------	----------



- Top type: Smooth
- Griddle dimensions [mm x mm]: 650 x 480 + 320 x 380 + 320 x 380
- Griddle thickness [mm]: 10.00
- Worktop material: AISI 304
- Container for liquid fat: Yes
- Independent heating zones: Separate control for each heating zone on the bottom plate and for the top plates
- Maximum device temperature [°C]: 300
- Surface finish: durable chrome

<b>SAP Code</b>	00021115	<b>Power electric [kW]</b>	12.000
<b>Net Width [mm]</b>	710	<b>Loading</b>	2x 230 V / 1N - 50 Hz + 400 V / 3N - 50 Hz
<b>Net Depth [mm]</b>	725	<b>Griddle dimensions [mm x mm]</b>	650 x 480 + 320 x 380 + 320 x 380
<b>Net Height [mm]</b>	540	<b>Top type</b>	Smooth
<b>Net Weight [kg]</b>	60.00		

# Technical data sheet



## Product benefits

### Steak grill electric double 65x48 table durable chrome

Model

SAP Code

00021115

1

#### **Nationheres**

Only stainless steel used for food contact

- Absolutely stainless steel and non -magnetic design resists even weaker acids easier to fill hygiene standards (HACCP); Simple maintenance and cleaning

2

#### **Chrome 0.03mm**

non -stick dishes when roasting easier to clean the board

- Faster and easier work to operate a higher quality of food

3

#### **Self -controlled control for upper and lower heating**

can i control both areas independent of each other

- Better adjustability and saving el. Energy more uniformly cooking I can prepare more types of meals and faster on one device

4

#### **Upper contact area with Teflon canvas**

non -backed rollers  
uniform warming the rolls

- faster and easier work for service
- faster preparation
- maintaining the shape of food
- faster closed surface of food from both sides of more juicy meat

# Technical data sheet



## Technical parameters

### Steak grill electric double 65x48 table durable chrome

**Model**

**SAP Code**

00021115

**1. SAP Code:**

00021115

**2. Net Width [mm]:**

710

**3. Net Depth [mm]:**

725

**4. Net Height [mm]:**

540

**5. Net Weight [kg]:**

60.00

**6. Gross Width [mm]:**

725

**7. Gross depth [mm]:**

710

**8. Gross Height [mm]:**

540

**9. Gross Weight [kg]:**

65.00

**10. Device type:**

Electric unit

**11. Construction type of device:**

Table top

**12. Power electric [kW]:**

12.000

**13. Loading:**

2x 230 V / 1N - 50 Hz + 400 V / 3N - 50 Hz

**14. Protection of controls:**

IPX4

**15. Material:**

AISI 430

**16. Indicators:**

operation and warm-up

**17. Worktop material:**

AISI 304

**18. Surface finish:**

durable chrome

**19. Maximum device temperature [°C]:**

300

**20. Minimum device temperature [°C]:**

50

**21. Griddle dimensions [mm x mm]:**

650 x 480 + 320 x 380 + 320 x 380

**22. Griddle thickness [mm]:**

10.00

**23. Container for liquid fat:**

Yes

**24. Independent heating zones:**

Separate control for each heating zone on the bottom plate and for the top plates

**25. Uniform heating:**

Yes

**26. Top type:**

Smooth

# Technical data sheet



Technical parameters

**Steak grill electric double 65x48 table durable chrome**

**Model**

**SAP Code**

00021115

## **27. Cross-section of conductors CU [mm<sup>2</sup>]:**

10

– Výkon (kW): 5,7-6,6 (230 V); 9,8-11 (400 V)