

Technical data sheet



Product features

Fry-top griddle plate 40x51 electric smooth on open cabinet 400 V

Model	SAP Code	00110060
FTH 70/40 E	A group of articles - web	Grills and grill plates



- Top type: Smooth
- Griddle dimensions [mm x mm]: 400 x 510
- Griddle thickness [mm]: 12.00
- Worktop material: Sandblasted steel
- Container for liquid fat: Yes
- Maximum device temperature [°C]: 300
- Surface finish: sandblasted surface without coating
- Removable rim: Yes

SAP Code	00110060	Power electric [kW]	4.500
Net Width [mm]	400	Loading	400 V / 3N - 50 Hz
Net Depth [mm]	700	Griddle dimensions [mm x mm]	400 x 510
Net Height [mm]	900	Top type	Smooth
Net Weight [kg]	47.00		


Technical data sheet

Technical drawing



Fry-top griddle plate 40x51 electric smooth on open cabinet 400 V

Model	SAP Code	00110060
FTH 70/40 E	A group of articles - web	Grills and grill plates



Technical data sheet



Product benefits

Fry-top griddle plate 40x51 electric smooth on open cabinet 400 V

Model	SAP Code	00110060
FTH 70/40 E	A group of articles - web	Grills and grill plates

1

All-stainless design

long life
corrosion resistance of the top plate material

2

Degree of protection of the control elements IPX4

maintenance-free system
resistance to splash water
long life

3

Outlet for waste liquids

ensures that oil drips into the socket

4

High detachable hem

better hygienic conditions
preventing grease from splashing onto
ancillary equipment

5

Smooth steel plate

good heat transfer and the surface does not get scratched
enables preparation on smooth or grooved plates

Technical data sheet

Technical parameters



Fry-top griddle plate 40x51 electric smooth on open cabinet 400 V

Model	SAP Code	00110060
FTH 70/40 E	A group of articles - web	Grills and grill plates

1. SAP Code:

00110060

2. Net Width [mm]:

400

3. Net Depth [mm]:

700

4. Net Height [mm]:

900

5. Net Weight [kg]:

47.00

6. Gross Width [mm]:

440

7. Gross depth [mm]:

800

8. Gross Height [mm]:

975

9. Gross Weight [kg]:

55.00

10. Device type:

Electric unit

11. Construction type of device:

Stationary

12. Power electric [kW]:

4.500

13. Loading:

400 V / 3N - 50 Hz

14. Protection of controls:

IPX4

15. Material:

AISI 304 top plate, AISI 430 cladding

16. Indicators:

operation and warm-up

17. Worktop material:

Sandblasted steel

18. Worktop Thickness [mm]:

1.20

19. Surface finish:

sandblasted surface without coating

20. Maximum device temperature [°C]:

300

21. Minimum device temperature [°C]:

50

22. Service accessibility:

Trough the frontal panel

23. Safety thermostat:

Yes

24. Adjustable feet:

Yes

25. Griddle dimensions [mm x mm]:

400 x 510

26. Griddle thickness [mm]:

12.00

27. Container for liquid fat:

Yes

28. Removable rim:

Yes

Technical data sheet

Technical parameters



Fry-top griddle plate 40x51 electric smooth on open cabinet 400 V

Model	SAP Code	00110060
FTH 70/40 E	A group of articles - web	Grills and grill plates

29. Top type:

Smooth

30. Cross-section of conductors CU [mm²]:

1