



Box + evaporator for IS 2011

Model

SAP Code

00012526



- Shock cooling cycle kg / min (+3 ° C): 110/90
- Shock freeze cycle kg / min (-18 $^{\circ}$ C): 95/240
- Maximum device temperature [°C]: -40
- Probe: 4-points
- Control type: Touchscreen
- Display size: 9"
- User programmable cycles: Yes
- Thaving cycle: Yes


SAP Code	00012526	Number of GN / EN	20
Net Width [mm]	1190	GN / EN size in device	GN 1/1
Net Depth [mm]	1332	GN device depth	1332
Net Height [mm]	2490	Shock cooling cycle kg / min (+3 ° C)	110/90
Net Weight [kg]	404.00	Shock freeze cycle kg / min (-18°C)	95/240
Power electric [kW]	3.250	Control type	Touchscreen
Loading	400 V / 3N - 50 Hz	Additional information	It is necessary to purchase one of the cooling units in the recommended accessories and a valve. Cooling unit for INFINITY 2011 RM - UNIT 4 HP Cooling unit for INFINITY 2011 silent RM - UNIT 4 HP SILENT Cooling unit for INFINITY 4011 RM - UNIT 9 HP



Technical drawing

Box + evaporator for IS 2011

Model SAP Code 00012526







Box + evaporator for IS 2011

Model SAP Code 00012526

Multipoint probe

precise monitoring of the cooling/freezing/cooking temperature

- the probe makes it easier to ensure food safety
- saves energy and time due to the end of cooling/ freezing/cooking when temperature is reached

Stainless steel body and interior

endurance hygiene

- thanks to the all-stainless steel construction it is very easy to maintain and thus saves costs
- Monitoring of HACCP parameters

easy registration of all necessary parameters

 hassle-free proof of proper food handling in the event of an inspection

Preset cycles

very simple and intuitive operation

- operation can be handled by less qualified operators

Slow cooking better taste

less weight loss during cooking

- saves costs due to less weight loss

Thawing

readiness of frozen food for processing on time

- time saving
- controlled food handling

Cooking during the night the possibility to preset entire program cycles and run them overnight unattended

- saving equipment capacity during the day
- saving of human capacity and time due to unattended operation of the equipment overnight



Technical parameters

Box + evaporator for IS 2011		
Model	SAP Code	00012526
1. SAP Code: 00012526		15. Loading: 400 V / 3N - 50 Hz
2. Net Width [mm]: 1190		16. Control type: Touchscreen
3. Net Depth [mm]: 1332		17. Display size:
4. Net Height [mm]: 2490		18. Refrigerant: R452a
5. Net Weight [kg]: 404.00		19. Number of GN / EN: 20
6. Gross Width [mm]:		20. GN / EN size in device: GN 1/1
7. Gross depth [mm]: 2310		21. GN device depth: 1332
8. Gross Height [mm]: 900		22. Maximum device temperature [°C]: -40
9. Gross Weight [kg]: 538.00		23. Shock freeze cycle kg / min (-18 ° C): 95/240
10. Device type: Electric unit		24. Shock cooling cycle kg / min (+3 ° C): 110/90
11. Material: AISI 304		25. Long-term cooling function: Yes
12. Exterior color of the device: Stainless steel		26. Longterm freezing function: Yes
13. Opening of device: Hinges on the right		27. Probe: 4-points

3.250

14. Power electric [kW]:

28. Self-diagnostics:

Yes



Technical parameters

Box + evaporator for IS 2011			
Model	SAP Code	00012526	
29. Interior lighting: Yes		35. USB port: Yes, for HACCP and firmware update	
30. HACCP: Yes		36. Castors: No	
31. Low temperature heat treatment:		37. Real time monitoring paramaters: Energy consumption, Chamber temperature, Probe temperature, Graph with the course of temperature and consumption	
32. Thaving cycle: Yes		38. Standard equipment for device: Valve + cooling unit must be purchased	
33. Adjustable feet: No		39. Cross-section of conductors CU [mm²]: 1 - Výkon (kW): 3,7-5 (230 V); 6,4-8,7 (400 V)	
34. User programmable cycles:		40. Additional information:	

Cooling unit for INFINITY 2011 | RM - UNIT 4 HP Cooling unit for INFINITY 2011 silent | RM -

recommended accessories and a valve.

It is necessary to purchase one of the cooling units in the

UNIT 4 HP SILENT

Cooling unit for INFINITY 4011 | RM - UNIT 9 HP

Yes