

Product features

Cooking range combined with electric convection oven GN 1/1 - 6x burner

Model

SAP Code

00002058



- Device type: Combined unit
- Power consumption of the zone 1 [kW]: 3,6
- Power consumption of the zone 2 [kW]: 3,6
- Power consumption of the zone 3 [kW]: 3,6
- Power consumption of the zone 4 [kW]: 3
- Power consumption of the zone 5 [kW]: 3
- Power consumption of the zone 6 [kW]: 3
- Type of internal part of the appliance 1 (eg oven): Electric
- Type of internal part of the appliance 2 (eg oven): Hot air
- Protection of controls: IPX4
- Material: AISI 304 top plate, AISI 430 cladding


| SAP Code | 00002058 | Power consumption of the zone 2 [kW] | 3,6 |
|--------------------------------------|--------------------------------|----------------------------------------------------|----------|
| Net Width [mm] | 988 | Power consumption of the zone 3 [kW] | 3,6 |
| Net Depth [mm] | 609 | Power consumption of the zone 4 [kW] | 3 |
| Net Height [mm] | 900 | Power consumption of the zone 5 [kW] | 3 |
| Net Weight [kg] | 85.00 | Power consumption of the zone 6 [kW] | 3 |
| Power electric [kW] | 3.130 | Type of internal part of the appliance 1 (eg oven) | Electric |
| Loading | 230 V / 1N - 50 Hz | Type of internal part of the appliance 2 (eg oven) | Hot air |
| Power gas [kW] | 19.800 | Width of internal part [mm] | 548 |
| Type of gas | Natural gas, propane butane | Depth of internal part [mm] | 360 |
| Number of zones | 6 | Height of internal part [mm] | 338 |
| Power consumption of the zone 1 [kW] | 3,6 | | |



Technical drawing

Cooking range combined with electric convection oven GN 1/1 - 6x burner

Model SAP Code 00002058





Product benefits

Cooking range combined with electric convection oven GN 1/1 - 6x burner

 Model
 SAP Code
 00002058

Hygienic moldings of the top plate absence of sharp corners and edges (poter

absence of sharp corners and edges (potential places where dirt could stick) smooth transitions

- easy quick cleaning

Hot air oven

hot air baking high capacity and variability all-stainless design

- suitable for meat, fish, baked pasta, white meat, sweet pastries
- long service life
- easy to clean

Degree of protection of the control elements IPX4

maintenance-free system resistance to splash water long life

- savings on service interventions
- greater job security for staff

All-stainless design

long life resistance of a ground steel plate with a thickness of 10 mm

- savings on service interventions
- easy cleaning and maintenance of equipment

Safety element – thermocouple

safe operation for personnel there is no overheating and damage to the thallus long life

- savings on service interventions
- easier and faster operation

Piezoelectric ignition

the possibility of igniting a flame there is no unnecessary gas leakage

- savings on service interventions
- easier and faster operation
- greater safety

tel.: +420 381 582 284 e-mail: rmgastro@rmgastro.com web: www.rmgastro.com

2025-04-24

2



Technical parameters

| Cooking range combined with electric convection oven GN 1/1 - 6x burner | | | | |
|-------------------------------------------------------------------------|----------|------------------------------------------------------------|--|--|
| Model | SAP Code | 00002058 | | |
| | | | | |
| | | | | |
| 1. SAP Code: 00002058 | | 15. Type of gas: Natural gas, propane butane | | |
| 2. Net Width [mm]: 988 | | 16. Protection of controls: | | |
| 3. Net Depth [mm]: 609 | | 17. Material: AISI 304 top plate, AISI 430 cladding | | |
| 4. Net Height [mm]: | | 18. Indicators: running and heating the oven | | |
| 5. Net Weight [kg]: 85.00 | | 19. Worktop material: AISI 304 | | |
| 6. Gross Width [mm]: 705 | | 20. Worktop Thickness [mm]: 0.80 | | |
| 7. Gross depth [mm]: 1055 | | 21. Number of zones: | | |
| 8. Gross Height [mm]: 1120 | | 22. Power consumption of the zone 1 [kW]: 3,6 | | |
| 9. Gross Weight [kg]: 95.00 | | 23. Power consumption of the zone 2 [kW]: 3,6 | | |
| 10. Device type: Combined unit | | 24. Power consumption of the zone 3 [kW]: 3,6 | | |
| 11. Construction type of device: With substructure | | 25. Power consumption of the zone 4 [kW]: | | |
| 12. Power electric [kW]: 3.130 | | 26. Power consumption of the zone 5 [kW]: | | |
| 13. Loading: 230 V / 1N - 50 Hz | | 27. Power consumption of the zone 6 [kW]: | | |
| 14. Power gas [kW]: | | 28. Number of power control stages: | | |

6

19.800



Technical parameters

| Cooking range combined with electric convection oven GN 1/1 - 6x burner | | | | |
|--------------------------------------------------------------------------|----------|-----------------------------------------------------------|--|--|
| Model | SAP Code | 00002058 | | |
| | | | | |
| 20. Cafatu the was at at up to u. 9.C. | | 26 Width of internal next [next]. | | |
| 29. Safety thermostat up to x ° C: 360 | | 36. Width of internal part [mm]: 548 | | |
| 30. Adjustable feet: Yes | | 37. Depth of internal part [mm]: | | |
| 31. Number of burners/hot plates: | | 38. Height of internal part [mm]: | | |
| 32. Type of gas cooking zones: Powerfull | | 39. Maximum temperature of the inner chamber [°C]: | | |
| 33. Oven Type: electric hot air | | 40. Minimum temperature of the inner chamber [°C]: | | |
| 34. Type of internal part of the appliance 1 (eg oven): Electric | | 41. Connection to a ball valve: 1/2 | | |
| 35. Type of internal part of the appliance 2 (eg oven): Hot air | | 42. Cross-section of conductors CU [mm²]: 0,75 | | |