

# Technical data sheet

## Product features



### Box + evaporator for IS 2011

|              |                                  |                                |
|--------------|----------------------------------|--------------------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00012526                       |
| IS 2011      | <b>A group of articles - web</b> | Šokery a multifunkční zařízení |



- Shock cooling cycle kg / min (+3 ° C): 110/90
- Shock freeze cycle kg / min (-18 ° C): 95/240
- Maximum device temperature [°C]: -40
- Probe: 4-points
- Insulation thickness [mm]: 80
- Control type: Touchscreen
- Display size: 9"
- User programmable cycles: Yes
- Thaving cycle: Yes

|                            |                    |                                              |                                                                                                                                                                                                                                                                                        |
|----------------------------|--------------------|----------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>SAP Code</b>            | 00012526           | <b>Number of GN / EN</b>                     | 20                                                                                                                                                                                                                                                                                     |
| <b>Net Width [mm]</b>      | 1190               | <b>GN / EN size in device</b>                | GN 1/1                                                                                                                                                                                                                                                                                 |
| <b>Net Depth [mm]</b>      | 1332               | <b>GN device depth</b>                       | 1332                                                                                                                                                                                                                                                                                   |
| <b>Net Height [mm]</b>     | 2490               | <b>Shock cooling cycle kg / min (+3 ° C)</b> | 110/90                                                                                                                                                                                                                                                                                 |
| <b>Net Weight [kg]</b>     | 404.00             | <b>Shock freeze cycle kg / min (-18 ° C)</b> | 95/240                                                                                                                                                                                                                                                                                 |
| <b>Power electric [kW]</b> | 3.250              | <b>Control type</b>                          | Touchscreen                                                                                                                                                                                                                                                                            |
| <b>Loading</b>             | 400 V / 3N - 50 Hz | <b>Additional information</b>                | <p>It is necessary to purchase one of the cooling units in the recommended accessories and a valve.</p> <p>Cooling unit for INFINITY 2011   RM - UNIT 4 HP<br/> Cooling unit for INFINITY 2011 silent   RM - UNIT 4 HP SILENT<br/> Cooling unit for INFINITY 4011   RM - UNIT 9 HP</p> |


# Technical data sheet

Technical drawing



## Box + evaporator for IS 2011

|              |                                  |                                |
|--------------|----------------------------------|--------------------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00012526                       |
| IS 2011      | <b>A group of articles - web</b> | Šokery a multifunkční zařízení |



# Technical data sheet

## Product benefits



### Box + evaporator for IS 2011

|              |                                  |                                |
|--------------|----------------------------------|--------------------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00012526                       |
| IS 2011      | <b>A group of articles - web</b> | Šokery a multifunkční zařízení |

1

#### **Multipoint probe**

precise monitoring of the cooling/freezing/  
cooking temperature

2

#### **Stainless steel body and interior**

endurance  
hygiene

3

#### **Monitoring of HACCP parameters**

easy registration of all necessary parameters

4

#### **Preset cycles**

very simple and intuitive operation

5

#### **Slow cooking**

better taste  
less weight loss during cooking

6

#### **Thawing**

readiness of frozen food for processing on time

7

#### **Cooking during the night**

the possibility to preset entire program cycles and run  
them overnight unattended

# Technical data sheet

## Technical parameters



### Box + evaporator for IS 2011

|              |                                  |                                |
|--------------|----------------------------------|--------------------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00012526                       |
| IS 2011      | <b>A group of articles - web</b> | Šokery a multifunkční zařízení |

**1. SAP Code:**

00012526

**2. Net Width [mm]:**

1190

**3. Net Depth [mm]:**

1332

**4. Net Height [mm]:**

2490

**5. Net Weight [kg]:**

404.00

**6. Gross Width [mm]:**

1110

**7. Gross depth [mm]:**

2310

**8. Gross Height [mm]:**

900

**9. Gross Weight [kg]:**

538.00

**10. Device type:**

Electric unit

**11. Material:**

AISI 304

**12. Exterior color of the device:**

Stainless steel

**13. Opening of device:**

Hinges on the right

**14. Power electric [kW]:**

3.250

**15. Loading:**

400 V / 3N - 50 Hz

**16. Control type:**

Touchscreen

**17. Display size:**

9"

**18. Refrigerant:**

R452a

**19. Number of GN / EN:**

20

**20. GN / EN size in device:**

GN 1/1

**21. GN device depth:**

1332

**22. Maximum device temperature [°C]:**

-40

**23. Shock freeze cycle kg / min (-18 ° C):**

95/240

**24. Shock cooling cycle kg / min (+3 ° C):**

110/90

**25. Insulation thickness [mm]:**

80

**26. Long-term cooling function:**

Yes

**27. Longterm freezing function:**

Yes

**28. Probe:**

4-points

# Technical data sheet

## Technical parameters



### Box + evaporator for IS 2011

|              |                                  |                                |
|--------------|----------------------------------|--------------------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00012526                       |
| IS 2011      | <b>A group of articles - web</b> | Šokery a multifunkční zařízení |

#### 29. Self-diagnostics:

Yes

#### 30. Interior lighting:

Yes

#### 31. HACCP:

Yes

#### 32. Low temperature heat treatment:

No

#### 33. Thaving cycle:

Yes

#### 34. Adjustable feet:

No

#### 35. User programmable cycles:

Yes

#### 36. USB port:

Yes, for HACCP and firmware update

#### 37. Castors:

No

#### 38. Real time monitoring paramaters:

Energy consumption, Chamber temperature, Probe temperature, Graph with the course of temperature and consumption

#### 39. Standard equipment for device:

Valve + cooling unit must be purchased

#### 40. Cross-section of conductors CU [mm<sup>2</sup>]:

1

#### 41. Additional information:

It is necessary to purchase one of the cooling units in the recommended accessories and a valve.

Cooling unit for INFINITY 2011 | RM - UNIT 4 HP

Cooling unit for INFINITY 2011 silent | RM - UNIT 4 HP SILENT

Cooling unit for INFINITY 4011 | RM - UNIT 9 HP