

Technical data sheet

Product features



Fry-top griddle plate 32x48 gas chromed grooved counter top

Model	SAP Code	00001120
FTRC 30 G	A group of articles - web	Grills and grill plates



- Top type: Grooved
- Griddle dimensions [mm x mm]: 320 x 480
- Griddle thickness [mm]: 10.00
- Container for liquid fat: Yes
- Maximum device temperature [°C]: 300
- Surface finish: polished chrome 0.03 mm
- Removable rim: No
- Ignition: Piezo

SAP Code	00001120	Power gas [kW]	4.000
Net Width [mm]	328	Type of gas	Propane butane, natural gas
Net Depth [mm]	0	Griddle dimensions [mm x mm]	320 x 480
Net Height [mm]	285	Top type	Grooved
Net Weight [kg]	23.00		


Technical data sheet

Technical drawing



Fry-top griddle plate 32x48 gas chromed grooved counter top

Model	SAP Code	00001120
FTRC 30 G	A group of articles - web	Grills and grill plates



Technical data sheet



Product benefits

Fry-top griddle plate 32x48 gas chromed grooved counter top

Model	SAP Code	00001120
FTRC 30 G	A group of articles - web	Grills and grill plates

1

Safety element – thermocouple

safe service for staff
there is no unnecessary gas leakage
long life

2

Degree of protection of the control elements IPX4

maintenance-free system
resistance to splash water
long life

3

Outlet for waste liquids

ensures that oil drips into the socket

4

High non-removable hem

better hygienic conditions
preventing grease from splashing onto
ancillary equipment

5

Smooth plate made of chrome-plated steel

the product bakes less and is easier to clean
a good warming of the meat with a groove

6

Cooking unit for use on a table or on a base

variable use
the possibility of placement in smaller spaces

7

All stainless steel design

long life
resistance of AISI 304 stainless steel material
the material does not cut

Technical data sheet

Technical parameters



Fry-top griddle plate 32x48 gas chromed grooved counter top

Model	SAP Code	00001120
FTRC 30 G	A group of articles - web	Grills and grill plates

1. SAP Code:

00001120

2. Net Width [mm]:

328

3. Net Depth [mm]:

0

4. Net Height [mm]:

285

5. Net Weight [kg]:

23.00

6. Gross Width [mm]:

670

7. Gross depth [mm]:

395

8. Gross Height [mm]:

362

9. Gross Weight [kg]:

24.50

10. Device type:

Gas unit

11. Construction type of device:

Table top

12. Power gas [kW]:

4.000

13. Ignition:

Piezo

14. Type of gas:

Propane butane, natural gas

15. Protection of controls:

IPX4

16. Material:

AISI 430

17. Surface finish:

polished chrome 0.03 mm

18. Maximum device temperature [°C]:

300

19. Minimum device temperature [°C]:

50

20. Adjustable feet:

Yes

21. Griddle dimensions [mm x mm]:

320 x 480

22. Griddle thickness [mm]:

10.00

23. Container for liquid fat:

Yes

24. Removable rim:

No

25. Uniform heating:

Yes

26. Top type:

Grooved

27. Connection to a ball valve:

1/2