

# Technical data sheet



## Product features

### Spiral mixer kneader 1 speed fixed head 20 l 400 V

<b>Model</b>	<b>SAP Code</b>	00010000
--------------	-----------------	----------



- Chamber volume [l]: 20
- Number of speeds of device: 1
- Control type: Mechanical
- Start /stop: Yes

<b>SAP Code</b>	00010000	<b>Loading</b>	400 V / 3N - 50 Hz
<b>Net Width [mm]</b>	715	<b>Number of speeds of device</b>	1
<b>Net Depth [mm]</b>	380	<b>Chamber volume [l]</b>	20
<b>Net Height [mm]</b>	630	<b>Height of internal part [mm]</b>	210
<b>Net Weight [kg]</b>	70.00	<b>Weight capacity of the device container [kg]</b>	18.00
<b>Power electric [kW]</b>	0.750		

# Technical data sheet



Technical drawing


Spiral mixer kneader 1 speed fixed head 20 l 400 V

Model


SAP Code

00010000

HTF7; HTF10



HTF15; HTF20; HTF33; HTF42; HTF53



# Technical data sheet



## Technical parameters

### Spiral mixer kneader 1 speed fixed head 20 l 400 V

<b>Model</b>	<b>SAP Code</b>	00010000
--------------	-----------------	----------

**1. SAP Code:**

00010000

**2. Net Width [mm]:**

715

**3. Net Depth [mm]:**

380

**4. Net Height [mm]:**

630

**5. Net Weight [kg]:**

70.00

**6. Gross Width [mm]:**

770

**7. Gross depth [mm]:**

490

**8. Gross Height [mm]:**

750

**9. Gross Weight [kg]:**

77.00

**10. Exterior color of the device:**

White

**11. Material:**

Lacquered sheet metal

**12. Device type:**

Electric unit

**13. Power electric [kW]:**

0.750

**14. Loading:**

400 V / 3N - 50 Hz

**15. Chamber volume [l]:**

20

**16. Start /stop:**

Yes

**17. Control type:**

Mechanical

**18. Number of speeds of device:**

1

**19. Height of internal part [mm]:**

210

**20. Weight capacity of the device container [kg]:**

18.00

**21. Cross-section of conductors CU [mm<sup>2</sup>]:**

1

- Výkon (kW): 3,7-5 (230 V); 6,4-8,7 (400 V)