

Product features

### Cooking range electric 2x plate without cabinet 400 V

Model SAP Code 00110092



- Device type: Electric unit
- Power consumption of the zone 1 [kW]: 2x hotplates
   2.6 kW ø 220 mm
- Power consumption of the zone 2 [kW]: 2,6
- Material: AISI 304 top plate, AISI 430 cladding


SAP Code	00110092	Power electric [kW]	5.200
Net Width [mm]	400	Loading	400 V / 3N - 50 Hz
Net Depth [mm]	700	Number of zones	2
Net Height [mm]	330	Power consumption of the zone 1 [kW]	2x hotplates 2.6 kW ø 220 mm
Net Weight [kg]	20.00	Power consumption of the zone 2 [kW]	2,6



Technical drawing

Cooking range electric 2x plate without cabinet 400	Cooking range e	electric 2x plate	without cabi	inet 400 \
---	-----------------	-------------------	--------------	------------

Model SAP Code 00110092





**Product benefits** 

### Cooking range electric 2x plate without cabinet 400 V

Model SAP Code 00110092

### Round plates

quick warm-up efficient cooking on a round surface with easy adhesion to dishes

- time-saving in food preparation
- easy to use thanks to the large surface area of the cooking plates

### Internal thermostatic plate protection

longer service life of the plates

- no overheating of the plates and no cracking

## Degree of protection of the control elements IPX4

maintenance-free system resistance to splash water long life

- savings on service interventions
- easy cleaning and maintenance of equipment

### All-stainless design

long life resistance of a ground steel plate with a thickness of 10 mm

- savings on service interventions
- higher corrosion resistance

### Hygienic moldings of the top plate

absence of sharp corners and edges (potential places where dirt could stick) smooth transitions

- easy quick cleaning

### Cooking unit for use on a table or on a base

variable use

the possibility of placement in smaller spaces

- easy handling
- cost savings on substructure

tel.: +420 381 582 284 e-mail: rmgastro@rmgastro.com web: www.rmgastro.com

2024-07-06

2



## Technical parameters

Cooking range electric 2x plate v	vithout cahinet 400 V	v
Model	SAP Code	00110092
<b>1. SAP Code:</b> 00110092		<b>14. Material:</b> AISI 304 top plate, AISI 430 cladding
2. Net Width [mm]: 400		<b>15. Worktop type:</b> Molded - comfortable cleaning maintenance
<b>3. Net Depth [mm]:</b> 700		<b>16. Worktop material:</b> AISI 304
<b>4. Net Height [mm]:</b> 330		17. Worktop Thickness [mm]: 1.20
<b>5. Net Weight [kg]:</b> 20.00		18. Number of zones:
<b>6. Gross Width [mm]:</b> 440		19. Power consumption of the zone 1 [kW]: 2x hotplates 2.6 kW ø 220 mm
<b>7. Gross depth [mm]:</b> 800		<b>20. Power consumption of the zone 2 [kW]:</b> 2,6
8. Gross Height [mm]: 390		<b>21. Number of power control stages:</b>
9. Gross Weight [kg]: 25.00		22. Service accessibility:  Trough the frontal panel
<b>LO. Device type:</b> Electric unit		23. Safety element: internal thermostatic protection of the hotplate against overheating
<b>1. Construction type of device:</b> Table top		<b>24. Adjustable feet:</b> Yes
2. Power electric [kW]: 5.200		25. Number of burners/hot plates:
13. Loading:		26. Type of electric cooking zones:

Oval

400 V / 3N - 50 Hz