



#### Universal mixer planetary 3 speed 24 l 400 V

**Model SAP Code** 00003703



- Control type: Mechanical
- Safety cover: stainless steel with a filling hole
- Start /stop: Yes
- Safety element: total stop complete stop of the device in case of opening the container protects the operator from injury
- Number of speeds of device: 3
- Standard equipment for device: boiler, whisk, hook, stirrer
- Additional information: meat grinder, vegetable slicer and 10l kettle with reduction
- Mixing system: With a fixed container
- Way of tool mounting: Planets


SAP Code	00003703	Power electric [kW]	0.565
Net Width [mm]	570	Loading	400 V / 3N - 50 Hz
Net Depth [mm]	557	Bowl lift	Mechanical
Net Height [mm]	910	Weight capacity of the device container [kg]	24.00
Net Weight [kg]	115.00	-	



Technical drawing

Universal mixer planetary 3 speed 24 l 400 V

**Model SAP Code** 00003703







#### Universal mixer planetary 3 speed 24 l 400 V

 Model
 SAP Code
 00003703

### Planetary storage of attachments with 3 speeds

the attachments rotate around their axis and at the same time go around in a circle

better mixing of ingredients; better quality of prepared dough

#### Additional devices

the possibility of grinding or grinding, or wiper arms, or handling carts

- mutifunctionality

#### Content 5 80L

wide sortiment

- always the ideal size for every operation

#### Safety microswitch

without closing the microswitch, the machine will not start

- avoiding possible injury to the operator

#### Protective cover with filling opening

without closing the microswitch, the machine will not start

 Ingredients can be added additionally while ensuring the safety of the staff

#### Whisk, hook, stirrer

great basic equipment

there is no need to buy additional equipment for whipping or kneading

#### No oil bath

the robot has a gearbox that is not stored in an oil basin

- no release of gear oil into the food

#### Reduction boiler

possibility to buy a reducing boiler that fits comfortably in a larger machine, but the volume is smaller than the boiler original

 simplification of working with smaller volumes of raw materials; the customer does not have to buy a second smaller machine afterwards



### Technical parameters

Universal mixer planetary 3 speed 24 l 400 V				
Model SAP Co	ode 00003703			
<b>1. SAP Code:</b> 00003703	14. Control type:  Mechanical			
<b>2. Net Width [mm]:</b> 570	<b>15. Safety cover:</b> stainless steel with a filling hole			
3. Net Depth [mm]: 557	16. Safety element:  total stop complete stop of the device in case of opening the container protects the operator from injury			
4. Net Height [mm]: 910	17. Way of tool mounting:  Planets			
<b>5. Net Weight [kg]:</b> 115.00	18. Safety Microswitch: Yes			
<b>6. Gross Width [mm]:</b> 600	19. Start /stop: Yes			
<b>7. Gross depth [mm]:</b> 590	<b>20. Timer:</b> Yes			
8. Gross Height [mm]:	<b>21. Standard equipment for device:</b> boiler, whisk, hook, stirrer			
9. Gross Weight [kg]: 135.00	<b>22. Additional information:</b> meat grinder, vegetable slicer and 10l kettle with reduction			
10. Device type: Electric unit	23. Unmountable bowl: Yes			
11. Power electric [kW]: 0.565	24. Bowl lift:  Mechanical			
<b>12. Loading:</b> 400 V / 3N - 50 Hz	<b>25. Suitable operations:</b> Mixing, whipping and kneading			

13. Number of speeds of device:

26. Mixing system:

With a fixed container



### Technical parameters

Universal mixer planetary 3 speed 24 l 400 V				
Model	SAP Code	00003703		

**27.** Weight capacity of the device container [kg]: 24.00

28. Cross-section of conductors CU [mm<sup>2</sup>]:

Τ

- Výkon (kW): 3,7-5 (230 V); 6,4-8,7 (400 V)