

Technical data sheet

Product features



Food display island chilled GN 4-1/1 - 30 mm, Hemlock

| | | |
|--------------|-----------------|----------|
| Model | SAP Code | 00012202 |
|--------------|-----------------|----------|



- Buffet type: LIME - chilled, static cooling, shallow
- Device properties: Chilled
- Number of GN / EN: 4
- GN / EN size in device: GN 1/1
- GN device depth: 30
- Minimum device temperature [°C]: 4
- Maximum device temperature [°C]: 8

| | | | |
|----------------------------|----------|--|--------------------|
| SAP Code | 00012202 | Loading | 230 V / 1N - 50 Hz |
| Net Width [mm] | 1494 | Number of GN / EN | 4 |
| Net Depth [mm] | 650 | GN / EN size in device | GN 1/1 |
| Net Height [mm] | 1488 | GN device depth | 30 |
| Net Weight [kg] | 134.00 | Minimum device temperature [°C] | 4 |
| Power electric [kW] | 0.247 | Maximum device temperature [°C] | 8 |

Technical data sheet

Technical drawing





Food display island chilled GN 4-1/1 - 30 mm, Hemlock

Model


SAP Code

00012202

A= ELECTRICAL CONNECTION
D= WATER DISCHARGE Ø14
E= GAS CONNECTION Ø6 Ø8



| GN | L |
|-----|------|
| 3/1 | 1169 |
| 4/1 | 1494 |
| 6/1 | 2144 |



Technical data sheet

Product benefits



Food display island chilled GN 4-1/1 - 30 mm, Hemlock

Model

SAP Code

00012202

1

Static cooling

- simultaneous use of direct injection and boiler, maintenance of 100% humidity, or its regulation
- less drying of food
 - more economical

2

Breathing screen with electric drive

- the possibility of easily covering the food
- higher hygienic safety
 - ease of use
 - attractiveness

3

LED lighting

- minimal energy consumption
- economical lighting
 - attractive appearance

4

Removable evaporator filter

- easy disassembly
- time saving for cleaning

5

All-stainless steel construction

- harmless to health for contact with food
robustness
- perfect sanitation
 - long service life

6

Rounded corners

- basins without sharp edges and corners
- higher hygienic safety
 - time saving due to easy cleaning

7

Depth 3mm

- the possibility of placing plates and trays
- variability of use

8

Travel wheels

- portable buffet table
- greater flexibility in dispensing
 - possibility of use at banquets
 - easier and safer handling

9

Breathing galley with trigger

- galerka made of hygienic Plexiglas with motorized displacement
- hygienic food protection
 - the possibility of sealing before dispensing - extending the shelf life of food

Technical data sheet

Technical parameters



Food display island chilled GN 4-1/1 - 30 mm, Hemlock

Model

SAP Code

00012202

1. SAP Code:

00012202

2. Net Width [mm]:

1494

3. Net Depth [mm]:

650

4. Net Height [mm]:

1488

5. Net Weight [kg]:

134.00

6. Gross Width [mm]:

1558

7. Gross depth [mm]:

714

8. Gross Height [mm]:

1595

9. Gross Weight [kg]:

151.70

10. Device type:

Electric unit

11. Material:

Stainless steel

12. Buffet type:

LIME - chilled, static cooling, shallow

13. Device properties:

Chilled

14. Exterior color of the device:

RAL

15. Power electric [kW]:

0.247

16. Loading:

230 V / 1N - 50 Hz

17. Number of GN / EN:

4

18. GN / EN size in device:

GN 1/1

19. GN device depth:

30

20. Minimum device temperature [°C]:

4

21. Maximum device temperature [°C]:

8

22. Interior lighting:

No