

# Technical data sheet

## Product features



### Ice maker hollow ice cube 22 g water cooling 155 kg/24h

<b>Model</b>	<b>SAP Code</b>	00018501
--------------	-----------------	----------



- Cooling type: Water
- Max ambient temperature [°C]: 43
- Min ambient temperature [°C]: 10
- Type of ice: Hatter
- Weight of ice [g]: 22.00
- Production per day [kg]: 153
- Water consumption [ l/h ]: 20.00
- Container for ice: Yes
- Ice storage capacity [kg]: 75
- Material: AISI 304

<b>SAP Code</b>	00018501	<b>Water consumption [ l/h ]</b>	20.00
<b>Net Width [mm]</b>	860	<b>Production per day [kg]</b>	153
<b>Net Depth [mm]</b>	700	<b>Type of ice</b>	Hatter
<b>Net Height [mm]</b>	1149	<b>Weight of ice [g]</b>	22.00
<b>Net Weight [kg]</b>	121.00	<b>Ice storage capacity [kg]</b>	75
<b>Power electric [kW]</b>	1.350	<b>Max supply water temperature [°C]</b>	38
<b>Loading</b>	230 V / 1N - 50 Hz	<b>Min supply water temperature [°C]</b>	5
<b>Cooling type</b>	Water	<b>Drain pump</b>	No

# Technical data sheet

Technical drawing







Ice maker hollow ice cube 22 g water cooling 155 kg/24h

Model

SAP Code

00018501



\* All measurements in mm.  
\* Todas las cotas en mm.

# Technical data sheet

## Product benefits



Ice maker hollow ice cube 22 g water cooling 155 kg/24h

Model

SAP Code

00018501

1

### **Firm and crystal clear ice hats**

icy hats without dirt

- health safety and aesthetic impression

2

### **A3S: System with flexible nozzles with minor vibrations**

prevents limescale from settling.

- longer life of the device without the need to remove scale

3

### **SFVS front ventilation**

allows the units of the unit to the interior

- variability of the location of the device

4

### **Cleaning switch**

disconnects the cooling system when circulating water with a limescale removal product

- saving human work and time

5

### **Motor pump "NEVER STOP" (construction without seal)**

prevents depreciation in hard water

- longer life of the device without the need to remove scale = economic and time savings

6

### **EASI: Installation and service system - all panels can be removed separately**

easy access for installation and service.

- saving time, human work, costs

7

### **Printed circuit board at the bottom**

easy service

- saving time and human work

8

### **Tropical version of the machine (class t)**

adaptation to extreme climatic conditions.

- use in extreme climatic conditions

9

### **Stif: a construction supported by 4 -steel columns**

strength

- the possibility of higher loads and a difficult deformation

# Technical data sheet

## Technical parameters



Ice maker hollow ice cube 22 g water cooling 155 kg/24h

Model

SAP Code

00018501

**1. SAP Code:**

00018501

**2. Net Width [mm]:**

860

**3. Net Depth [mm]:**

700

**4. Net Height [mm]:**

1149

**5. Net Weight [kg]:**

121.00

**6. Gross Width [mm]:**

930

**7. Gross depth [mm]:**

770

**8. Gross Height [mm]:**

1180

**9. Gross Weight [kg]:**

126.00

**10. Device type:**

Electric unit

**11. Power electric [kW]:**

1.350

**12. Loading:**

230 V / 1N - 50 Hz

**13. Refrigerant:**

R290

**14. Cooling type:**

Water

**15. Material:**

AISI 304

**16. Min ambient temperature [°C]:**

10

**17. Max ambient temperature [°C]:**

43

**18. Additional information:**

Max. height with legs 1199 mm

**19. Production per day [kg]:**

153

**20. Water consumption [ l/h ]:**

20.00

**21. Door of device:**

Full

**22. Type of ice:**

Hatter

- Kloboučkový

**23. Weight of ice [g]:**

22.00

**24. Container for ice:**

Yes

**25. Ice storage capacity [kg]:**

75

**26. Max supply water temperature [°C]:**

38

**27. Min supply water temperature [°C]:**

5

**28. Drain pump:**

No