



Combi convection steam oven STEAMBOX gas 10x GN 2/1 automatic cleaning boiler left door

Model SAP Code 00014905



- Steam type: Symbiotic boiler and injection combination (patent)
- Number of GN / EN: 10
- GN / EN size in device: GN 2/1
- GN device depth: 65
- Control type: Touchscreen + buttons
- Display size: 9"
- Humidity control: MeteoSystem regulation based on direct measurement of humidity in the chamber (patented)
- Advanced moisture adjustment: Steamtuner 5-stage system of setting steam saturation by controlled combination of production by boiler or injection
- Delta T heat preparation: Yes
- Automatic preheating: Yes
- Multi level cooking: Drawer program control of heat treatment for each dish separately
- Door constitution: Vented safety double glass, removable for easy cleaning


SAP Code	00014905	Type of gas	Natural Gas
Net Width [mm]	1120	Steam type	Symbiotic - boiler and injection combination (patent)
Net Depth [mm]	845	Number of GN / EN	10
Net Height [mm]	1115	GN / EN size in device	GN 2/1
Net Weight [kg]	250.00	GN device depth	65
Power electric [kW]	3.300	Control type	Touchscreen + buttons
Loading	230 V / 1N - 50 Hz	Display size	9"
Power gas [kW]	27.000		





Technical drawing

Combi convection steam oven STEAMBOX gas 10x GN 2/1 automatic cleaning boiler left door

Model SAP Code 00014905







- 1 DRAIN
- 2 WATER INLET
- 3 POWER SUPPLY



Technical parameters

Combi convection steam ove	en STEAMBOX gas 10x G	N 2/1 automatic cleaning boiler left door
Model	SAP Code	00014905
1. SAP Code: 00014905		14. Type of gas: Natural Gas
2. Net Width [mm]: 1120		15. Material: AISI 304
3. Net Depth [mm]: 845		16. Exterior color of the device: Stainless steel
4. Net Height [mm]: 1115		17. Adjustable feet: Yes
5. Net Weight [kg]: 250.00		18. Humidity control: MeteoSystem - regulation based on direct measurement of humidity in the chamber (patented)
6. Gross Width [mm]: 1320		19. Stacking availability: Yes
7. Gross depth [mm]: 1130		20. Control type: Touchscreen + buttons
8. Gross Height [mm]: 1240		21. Additional information: Version with left door (hinges on the left, handle on the right)
9. Gross Weight [kg]: 260.00		22. Steam type: Symbiotic - boiler and injection combination (patent)
10. Device type: Combined unit		23. Chimney for moisture extraction: Yes
11. Power electric [kW]: 3.300		24. Delayed start: Yes
12. Loading: 230 V / 1N - 50 Hz		25. Display size: 9"
13. Power gas [kW]:		26. Delta T heat preparation:

Yes

27.000





Combi convection steam oven STEAMBOX gas 10x GN 2/1 automatic cleaning boiler left door					
Model SAP Code	00014905				
27. Automatic preheating:	40. Reversible fan:				
Yes	Yes				
28. Automatic cooling:	41. Sustaince box:				
Yes	Yes				
29. Cold smoke-dry function:	42. Probe:				
Yes	Yes				
30. Unified finishing of meals EasyService:	43. Shower:				
Yes	Hand winder ————————————————————————————————————				
31. Night cooking:	44. Distance between the layers [mm]:				
Yes	70				
32. Washing system:	45. Smoke-dry function:				
Closed - efficient use of water and washing chemicals by repeated pumping	Yes				
33. Detergent type: Liquid washing detergent + liquid rinse aid/vinegar or	46. Interior lighting: Yes				
washing tablets					
34. Multi level cooking:	47. Low temperature heat treatment:				
Drawer program - control of heat treatment for each dish separately	Yes				
35. Advanced moisture adjustment: Steamtuner - 5-stage system of setting steam saturation by	48. Number of fans:				
controlled combination of production by boiler or injection	1				
36. Slow cooking:	49. Number of fan speeds:				
from 30 °C - the possibility of rising	6				
37. Fan stop:	50. Number of programs:				
Immediate when the door is opened	1000				

38. Lighting type:

LED lighting in the doors, on both sides

AISI 304, with rounded corners for easy cleaning

39. Cavity material and shape:

51. USB port:

52. Door constitution:

Yes, for uploading recipes and updating firmware

Vented safety double glass, removable for easy cleaning



Technical parameters

Combination of steam and hot air

Combi convection steam oven STEAMBOX gas 10x GN 2/1 automatic cleaning boiler left door				
Model	SAP Code	00014905		
53. Number of preset programs:		58. HACCP: Yes		
54. Number of recipe steps: 9		59. Number of GN / EN:		
55. Minimum device temperature [° 30	C]:	60. GN / EN size in device: GN 2/1		
56. Maximum device temperature [6	°C]:	61. GN device depth: 65		
57. Device heating type:		62. Food regeneration:		

Yes