

# Technical data sheet



## Product features

### Blast chiller/freezer 15x GN 1/1 digital control panel PET 400 V

<b>Model</b>	<b>SAP Code</b>	00010029
--------------	-----------------	----------



- Shock cooling cycle kg / min (+3 ° C): 40
- Shock freeze cycle kg / min (-18 ° C): 28
- Minimum device temperature [°C]: 3
- Maximum device temperature [°C]: -18
- Probe: 4-points
- Control type: Digital

<b>SAP Code</b>	00010029	<b>Number of GN / EN</b>	15
<b>Net Width [mm]</b>	790	<b>GN / EN size in device</b>	GN 1/1
<b>Net Depth [mm]</b>	799	<b>GN device depth</b>	40
<b>Net Height [mm]</b>	1970	<b>Shock cooling cycle kg / min (+3 ° C)</b>	40
<b>Net Weight [kg]</b>	163.00	<b>Shock freeze cycle kg / min (-18 ° C)</b>	28
<b>Power electric [kW]</b>	2.260	<b>Control type</b>	Digital
<b>Loading</b>	400 V / 3N - 50 Hz		


# Technical data sheet



Technical drawing

Blast chiller/freezer 15x GN 1/1 digital control panel PET 400 V

Model	SAP Code	00010029
-------	----------	----------



### Blast chiller/freezer 15x GN 1/1 digital control panel PET 400 V

Model

SAP Code

00010029

1

#### Very fast cooling and freezing

times faster cooling and freezing compared to a classic refrigerator/freezer

- easy compliance with hygiene standards
- better food quality
- more efficient work in the kitchen
- limiting the multiplication of bacteria to a minimum, extending the life of food and expiration dates

2

#### Controlled defrosting

safety and hygiene

- thanks to the controlled defrosting, the risk of bacterial multiplication is minimized

3

#### Probe in standard equipment

accurate and safe cooling/freezing/defrosting thanks to core temperature measurement

- thanks to the probe, the operator has a detailed overview of the temperature of the food

4

#### Digital control

clarity and simplicity of operation

- the device can be operated even by a less capable and trained operator

5

#### Autorepair surface

easy to maintain

- hygienic cleanliness can be better maintained thanks to the easy-to-maintain surface

# Technical data sheet



## Technical parameters

### Blast chiller/freezer 15x GN 1/1 digital control panel PET 400 V

<b>Model</b>	<b>SAP Code</b>	00010029
--------------	-----------------	----------

**1. SAP Code:**

00010029

**14. Control type:**

Digital

**2. Net Width [mm]:**

790

**15. Refrigerant:**

R452a

**3. Net Depth [mm]:**

799

**16. Number of GN / EN:**

15

**4. Net Height [mm]:**

1970

**17. GN / EN size in device:**

GN 1/1

**5. Net Weight [kg]:**

163.00

**18. GN device depth:**

40

**6. Gross Width [mm]:**

830

**19. Minimum device temperature [°C]:**

3

**7. Gross depth [mm]:**

860

**20. Maximum device temperature [°C]:**

-18

**8. Gross Height [mm]:**

2120

**21. Shock freeze cycle kg / min (-18 ° C):**

28

**9. Gross Weight [kg]:**

188.60

**22. Shock cooling cycle kg / min (+3 ° C):**

40

**10. Device type:**

Electric unit

**23. Probe:**

4-points

**11. Opening of device:**

Hinges on the left

**24. Adjustable feet:**

Yes

**12. Power electric [kW]:**

2.260

**25. Cross-section of conductors CU [mm<sup>2</sup>]:**

1

- Výkon (kW): 3,7-5 (230 V); 6,4-8,7 (400 V)

**13. Loading:**

400 V / 3N - 50 Hz