

# Technical data sheet



## Product features

Cooling display 1x GN 1/2 + 4x GN 1/3

<b>Model</b>	<b>SAP Code</b>	00013363
--------------	-----------------	----------



- Material: Stainless steel
- GN / EN size in device: 1xGN 1/2 + 4xGN 1/3
- Number of GN / EN: 5
- Control type: Digital
- Minimum device temperature [°C]: 2
- Maximum device temperature [°C]: 8
- Unit: Right

<b>SAP Code</b>	00013363	<b>Number of GN / EN</b>	5
<b>Net Width [mm]</b>	1400	<b>GN / EN size in device</b>	1xGN 1/2 + 4xGN 1/3
<b>Net Depth [mm]</b>	395	<b>GN device depth</b>	150
<b>Net Height [mm]</b>	440	<b>Minimum device temperature [°C]</b>	2
<b>Net Weight [kg]</b>	45.00	<b>Maximum device temperature [°C]</b>	8
<b>Power electric [kW]</b>	0.125	<b>Refrigerant</b>	R290
<b>Loading</b>	230 V / 1N - 50 Hz	<b>Refrigerant weight [g]</b>	33.00

# Technical data sheet



## Technical parameters

Cooling display 1x GN 1/2 + 4x GN 1/3

**Model**

**SAP Code**

00013363

**1. SAP Code:**

00013363

**2. Net Width [mm]:**

1400

**3. Net Depth [mm]:**

395

**4. Net Height [mm]:**

440

**5. Net Weight [kg]:**

45.00

**6. Gross Width [mm]:**

1490

**7. Gross depth [mm]:**

435

**8. Gross Height [mm]:**

310

**9. Gross Weight [kg]:**

50.00

**10. Device type:**

Electric unit

**11. Power electric [kW]:**

0.125

**12. Loading:**

230 V / 1N - 50 Hz

**13. Refrigerant:**

R290

**14. Cooling type:**

Static

**15. Material:**

Stainless steel

**16. Exterior color of the device:**

Stainless steel

**17. Device properties 2:**

Cooling

**18. GN / EN size in device:**

1xGN 1/2 + 4xGN 1/3

**19. Number of internal parts:**

5

**20. Number of GN / EN:**

5

**21. GN device depth:**

150

**22. Unit:**

Right

**23. Control type:**

Digital

**24. Minimum device temperature [°C]:**

2

**25. Maximum device temperature [°C]:**

8

**26. Refrigerant weight [g]:**

33.00

**27. Gross Volume [m3]:**

0.201

**28. Net Volume [m3]:**

0.243

# Technical data sheet



Technical parameters

Cooling display 1x GN 1/2 + 4x GN 1/3

Model

SAP Code

00013363

## 29. Cross-section of conductors CU [mm<sup>2</sup>]:

0,5

– Výkon (kW): 2,4-3,3 (230 V)