

Technical data sheet



Product features

Fry Top Griddle 97x48 electric durable chrome combined without cabinet 400 v

Model	SAP Code	00021123
--------------	-----------------	----------



- Top type: Combined
- Griddle dimensions [mm x mm]: 970 x 480
- Griddle thickness [mm]: 10.00
- Worktop material: Chrome plated steel
- Container for liquid fat: Yes
- Independent heating zones: Separate control for each heating zone
- Maximum device temperature [°C]: 300
- Surface finish: durable chrome
- Removable rim: No

SAP Code	00021123	Power electric [kW]	9.000
Net Width [mm]	988	Loading	400 V / 3N - 50 Hz
Net Depth [mm]	609	Griddle dimensions [mm x mm]	970 x 480
Net Height [mm]	290	Top type	Combined
Net Weight [kg]	76.00		

Technical data sheet



Product benefits

Fry Top Griddle 97x48 electric durable chrome combined without cabinet 400 v

Model

SAP Code

00021123

1

Nationheres

long life
stainless steel resistance of AISI 304
the material does not rue

- Savings on service interventions
- easy and faster service

2

Degree of protection of controls IPX4

maintenance -free
water resistance
long life

- Savings on service interventions
- easy cleaning of the device

3

Waste fluid socket

ensures oil dripping into a socket

- easy maintenance
- easy to clean

4

Tall non -removable hem

Better Hygienic Conditions
Preventing fat spraying on a secondary device

- easy maintenance
- easy to clean

5

Combined plate made of chrome steel

The product is less baked
Allows preparation for smooth or grooved plate

- saving time when preparing meals
- Easy to prepare different types of dishes

6

A kernel for use on a table or on a bedding

variable use
Possibility to place in smaller spaces

- easy manipulation
- saving costs on the bedding

Technical data sheet



Technical parameters

Fry Top Griddle 97x48 electric durable chrome combined without cabinet 400 v

Model	SAP Code	00021123
--------------	-----------------	----------

1. SAP Code:

00021123

15. Material:

AISI 430

2. Net Width [mm]:

988

16. Indicators:

operation and warm-up

3. Net Depth [mm]:

609

17. Worktop material:

Chrome plated steel

4. Net Height [mm]:

290

18. Surface finish:

durable chrome

5. Net Weight [kg]:

76.00

19. Maximum device temperature [°C]:

300

6. Gross Width [mm]:

705

20. Minimum device temperature [°C]:

50

7. Gross depth [mm]:

1055

21. Adjustable feet:

Yes

8. Gross Height [mm]:

540

22. Griddle dimensions [mm x mm]:

970 x 480

9. Gross Weight [kg]:

83.00

23. Griddle thickness [mm]:

10.00

10. Device type:

Electric unit

24. Container for liquid fat:

Yes

11. Construction type of device:

Table top

25. Independent heating zones:

Separate control for each heating zone

12. Power electric [kW]:

9.000

26. Removable rim:

No

13. Loading:

400 V / 3N - 50 Hz

27. Uniform heating:

Yes

14. Protection of controls:

IPX4

28. Top type:

Combinated

Technical data sheet



Technical parameters

Fry Top Griddle 97x48 electric durable chrome combined without cabinet 400 v

Model

SAP Code

00021123

29. Cross-section of conductors CU [mm²]:

2

– Výkon (kW): 9-11 (230 V); 15-19 (400 V)