

Technical data sheet

Product features



Blender motor 250 W variable speed

Model	SAP Code	00013298
--------------	-----------------	----------



- Mixing speed [rpm]: 15000
- Whipping speed [rpm]: 2500 - 15000
- Material: ABS plastic
- Number of speeds of device: 9
- Control type: Digital
- Safety element: thermal overload protection
- Way of tool mounting: Bayonet coupling, double, sliding nut
- Engine protection: overheating protection
- Main switch: Yes
- Ergonomic handle: Yes
- Additional information: interchangeable whisking, mixing, homogenising and emulsifying attachments control board with SRS system for power and speed stabilisation

SAP Code	00013298	Power electric [kW]	0.250
Net Width [mm]	75	Loading	230 V / 1N - 50 Hz
Net Depth [mm]	75	Mixing speed [rpm]	15000
Net Height [mm]	285	Whipping speed [rpm]	2500 - 15000
Net Weight [kg]	1.65		

Technical data sheet

Product benefits



Blender motor 250 W variable speed

Model	SAP Code	00013298
--------------	-----------------	----------

1

Engine only

option to choose accessories as needed
– cost savings no need to buy what I don't need or, on the other hand, additional machines

2

Compact design

conformity
easy handling
– very easy to use for any operator in the kitchen

3

Variable speed

the possibility of processing different types of food
– multiple devices can be represented

4

Ergonomic handle

easy and convenient to use
– higher security
– less fatigue during use

5

SRS technology

easy and convenient to use
– perfect result even when mixing frozen foods

6

Bayonet clutch with star shape

perfect torque transmission
resistance to breaking out
– perfect food processing
– durability

Technical data sheet

Technical parameters



Blender motor 250 W variable speed

Model	SAP Code	00013298
--------------	-----------------	----------

1. SAP Code:

00013298

2. Net Width [mm]:

75

3. Net Depth [mm]:

75

4. Net Height [mm]:

285

5. Net Weight [kg]:

1.65

6. Gross Width [mm]:

125

7. Gross depth [mm]:

110

8. Gross Height [mm]:

400

9. Gross Weight [kg]:

1.80

10. Device type:

Electric unit

11. Material:

ABS plastic

12. Power electric [kW]:

0.250

13. Loading:

230 V / 1N - 50 Hz

14. Number of speeds of device:

9

15. Control type:

Digital

16. Safety element:

thermal overload protection

17. Way of tool mounting:

Bayonet coupling, double, sliding nut

18. Engine protection:

overheating protection

19. Main switch:

Yes

20. Additional information:

interchangeable whisking, mixing, homogenising and emulsifying attachments
control board with SRS system for power and speed stabilisation

21. Ergonomic handle:

Yes

22. Whipping speed [rpm]:

2500 - 15000

23. Gasket:

Yes

24. Connections material:

Polymer

25. Mixing speed [rpm]:

15000

26. Cross-section of conductors CU [mm²]:

0,5

- Výkon (kW): 2,4-3,3 (230 V)