


# Technical data sheet

Product features



## Fry-top griddle plate 36x55 drop-in electric chromed smooth 400 V

|              |                 |          |
|--------------|-----------------|----------|
| <b>Model</b> | <b>SAP Code</b> | 00007455 |
|--------------|-----------------|----------|



- Top type: Smooth
- Griddle dimensions [mm x mm]: 600 x 400
- Griddle thickness [mm]: 14.00
- Worktop material: Super chrom
- Grid size [mm x mm]: 450 x 395
- Container for liquid fat: Yes
- Maximum device temperature [°C]: 300
- Removable rim: Yes

|                            |          |                                     |   |
|----------------------------|----------|-------------------------------------|---|
| <b>SAP Code</b>            | 00007455 | <b>Loading</b>                      | 400 V / 3N - 50 Hz                        |
| <b>Net Width [mm]</b>      | 400      | <b>Griddle dimensions [mm x mm]</b> | 600 x 400                                 |
| <b>Net Depth [mm]</b>      | 600      | <b>Grid size [mm x mm]</b>          | 450 x 395                                 |
| <b>Net Height [mm]</b>     | 220      | <b>Top type</b>                     | Smooth                                    |
| <b>Net Weight [kg]</b>     | 30.00    | <b>Worktop type</b>                 | Molded - comfortable cleaning maintenance |
| <b>Power electric [kW]</b> | 4.500    |                                     |   |

# Technical data sheet

Technical drawing



## Fry-top griddle plate 36x55 drop-in electric chromed smooth 400 V

Model

SAP Code

00007455



| Descrizione | A      | B      | C      | D       | E      |
|-------------|--------|--------|--------|---------|--------|
| FT...D-64ET | 400 mm | 600 mm | 135 mm | 51 mm   | 420 mm |
| FT...D-66ET | 600 mm | 600 mm | 300 mm | 55,5 mm | 420 mm |
| FT...D-68ET | 800 mm | 600 mm | 400 mm | 65 mm   | 420 mm |
| FT...D-84ET | 400 mm | 800 mm | 105 mm | 29 mm   | 650 mm |
| FT...D-88ET | 800 mm | 800 mm | 400 mm | 29 mm   | 650 mm |

|   |            |  |   |                       |  |
|---|------------|--|---|-----------------------|--|
| A | Data plate |  | B | Electrical connection |  |
|---|------------|--|---|-----------------------|--|

# Technical data sheet

## Product benefits



### Fry-top griddle plate 36x55 drop-in electric chromed smooth 400 V

|              |                 |          |
|--------------|-----------------|----------|
| <b>Model</b> | <b>SAP Code</b> | 00007455 |
|--------------|-----------------|----------|

1

#### All-stainless design

long life  
resistance of AISI 304 stainless steel material  
the material does not cut

- savings on service interventions
- easier and faster operation

2

#### Degree of protection of the control elements IPX5

maintenance-free system  
resistance to splash water  
long life

- savings on service interventions
- easy cleaning and maintenance of equipment

3

#### Built-in cooking unit

variable use  
the possibility of placement in smaller spaces

- easy handling
- cost savings on substructure

4

#### High detachable hem

better hygienic conditions  
preventing grease from splashing onto ancillary equipment

- easy maintenance
- easy cleaning

5

#### Smooth plate made of chrome-plated steel

the product bakes less and is easier to clean  
a good warming of the meat with a groove

- time-saving for food preparation
- no reheating and long cooking times

# Technical data sheet

Technical parameters



## Fry-top griddle plate 36x55 drop-in electric chromed smooth 400 V

**Model**

**SAP Code**

00007455

**1. SAP Code:**

00007455

**2. Net Width [mm]:**

400

**3. Net Depth [mm]:**

600

**4. Net Height [mm]:**

220

**5. Net Weight [kg]:**

30.00

**6. Gross Width [mm]:**

430

**7. Gross depth [mm]:**

630

**8. Gross Height [mm]:**

470

**9. Gross Weight [kg]:**

35.00

**10. Device type:**

Electric unit

**11. Construction type of device:**

Drop-in

**12. Power electric [kW]:**

4.500

**13. Loading:**

400 V / 3N - 50 Hz

**14. Protection of controls:**

IPX5

**15. Exterior color of the device:**

Stainless steel

**16. Material:**

Stainless steel

**17. Indicators:**

operation and warm-up

**18. Worktop type:**

Molded - comfortable cleaning maintenance

**19. Worktop material:**

Super chrom

**20. Worktop Thickness [mm]:**

14.00

**21. Maximum device temperature [°C]:**

300

**22. Minimum device temperature [°C]:**

50

**23. Service accessibility:**

Trough the frontal panel

**24. Safety thermostat:**

Yes

**25. Adjustable feet:**

No

**26. Griddle dimensions [mm x mm]:**

600 x 400

**27. Griddle thickness [mm]:**

14.00

**28. Container for liquid fat:**

Yes

# Technical data sheet

Technical parameters



**Fry-top griddle plate 36x55 drop-in electric chromed smooth 400 V**

|              |                 |          |
|--------------|-----------------|----------|
| <b>Model</b> | <b>SAP Code</b> | 00007455 |
|--------------|-----------------|----------|

**29. Removable rim:**

Yes

**31. Top type:**

Smooth

**30. Grid size [mm x mm]:**

450 x 395