

Technical data sheet

Product features



Cooking range gas 6x burner on open cabinet

Model	SAP Code	00110097
SP 70/120 G	A group of articles - web	Stoves



- Device type: Gas unit
- Power consumption of the zone 1 [kW]: 2x 4.5 kW burner
- Power consumption of the zone 2 [kW]: 4x 7.5 kW burner
- Power consumption of the zone 3 [kW]: 7,5
- Power consumption of the zone 4 [kW]: 7,5
- Power consumption of the zone 5 [kW]: 4,5
- Power consumption of the zone 6 [kW]: 4,5
- Ignition: Eternal flame
- Protection of controls: IPX4
- Material: AISI 304 top plate, AISI 430 cladding

SAP Code	00110097	Number of zones	6
Net Width [mm]	1200	Power consumption of the zone 1 [kW]	2x 4.5 kW burner
Net Depth [mm]	700	Power consumption of the zone 2 [kW]	4x 7.5 kW burner
Net Height [mm]	900	Power consumption of the zone 3 [kW]	7,5
Net Weight [kg]	92.00	Power consumption of the zone 4 [kW]	7,5
Power gas [kW]	39.000	Power consumption of the zone 5 [kW]	4,5
Type of gas	Natural gas, propane butane	Power consumption of the zone 6 [kW]	4,5


Technical data sheet

Technical drawing



Cooking range gas 6x burner on open cabinet

Model	SAP Code	00110097
SP 70/120 G	A group of articles - web	Stoves



Technical data sheet



Product benefits

Cooking range gas 6x burner on open cabinet

Model	SAP Code	00110097
SP 70/120 G	A group of articles - web	Stoves

1

Massive construction of burners

high performance and efficiency
brass burners removable
eternal flame
long life
demountable

2

Hygienic moldings of the top plate

absence of sharp corners and edges (potential places where dirt could stick)
smooth transitions

3

Degree of protection of the control elements IPX4

maintenance-free system
resistance to splash water
long life

4

All-stainless design

long life
resistance of a ground steel plate with a thickness of 10 mm

5

Safety element – thermocouple

safe operation for personnel
there is no overheating and damage to the thallus
long life

6

Variability

the possibility of adding to the current line
easy possibility of creating one module
long life

Technical data sheet

Technical parameters



Cooking range gas 6x burner on open cabinet

Model	SAP Code	00110097
SP 70/120 G	A group of articles - web	Stoves

1. SAP Code:

00110097

2. Net Width [mm]:

1200

3. Net Depth [mm]:

700

4. Net Height [mm]:

900

5. Net Weight [kg]:

92.00

6. Gross Width [mm]:

1240

7. Gross depth [mm]:

800

8. Gross Height [mm]:

975

9. Gross Weight [kg]:

108.00

10. Device type:

Gas unit

11. Construction type of device:

With substructure

12. Power gas [kW]:

39.000

13. Ignition:

Eternal flame

14. Type of gas:

Natural gas, propane butane

15. Protection of controls:

IPX4

16. Material:

AISI 304 top plate, AISI 430 cladding

17. Worktop material:

AISI 304

18. Worktop Thickness [mm]:

1.20

19. Number of zones:

6

20. Power consumption of the zone 1 [kW]:

2x 4.5 kW burner

21. Power consumption of the zone 2 [kW]:

4x 7.5 kW burner

22. Power consumption of the zone 3 [kW]:

7,5

23. Power consumption of the zone 4 [kW]:

7,5

24. Power consumption of the zone 5 [kW]:

4,5

25. Power consumption of the zone 6 [kW]:

4,5

26. Grid material:

Cast iron

27. Service accessibility:

Trough the frontal panel

28. Safety thermocouple:

Yes

Technical data sheet

Technical parameters



Cooking range gas 6x burner on open cabinet

Model	SAP Code	00110097
SP 70/120 G	A group of articles - web	Stoves

29. Adjustable feet:

Yes

30. Number of burners/hot plates:

6

31. Type of gas cooking zones:

Brass burners

32. Burner type:

Cast iron, detachable, with internal and external combustion

33. Connection to a ball valve:

1/2