

Technical data sheet

Product features



Cabinet 3x Door 120x66 HK

Model	SAP Code	00037988
INFINITY 0811.	A group of articles - web	Šokery a multifunkční zařízení



- Shock cooling cycle kg / min (+3 ° C): 35/90
- Shock freeze cycle kg / min (-18 ° C): 25/240
- Maximum device temperature [°C]: -40
- Probe: 4-bodová
- Insulation thickness [mm]: 60
- Control type: Digital
- Display size: 9"
- User programmable cycles: Yes, with save options
- Thaving cycle: Yes

SAP Code	00037988	GN / EN size in device	GN 1/1
Net Width [mm]	790	GN device depth	65
Net Depth [mm]	820	Shock cooling cycle kg / min (+3 ° C)	35/90
Net Height [mm]	1322	Shock freeze cycle kg / min (-18 ° C)	25/240
Net Weight [kg]	126.00	Control type	Digital
Power electric [kW]	0.900	Humidification	Yes
Loading	230 V / 1N - 50 Hz	Condensate container	No
Number of GN / EN	8		

Technical data sheet

Technical drawing






Cabinet 3x Door 120x66 HK

Model	SAP Code	00037988
INFINITY 0811.	A group of articles - web	Šokery a multifunkční zařízení



A= ELECTRICAL CONNECTION
B= GAS CONNECTION ø10 ø12
C= GAS CONNECTION ø12 ø14
D= WATER DISCHARGE ø18 (F)
E= WATER INLET CONNECTION 3/4" (N) (ALL-IN-ONE)
F= WATER OUTLET CONNECTION ø20 (N) (ALL-IN-ONE)



Technical data sheet

Product benefits



Cabinet 3x Door 120x66 HK

Model	SAP Code	00037988
INFINITY 0811.	A group of articles - web	Šokery a multifunkční zařízení

1

6v1

dokáže zastoupit 6 zařízení (lednice, mrazák, šoker, hodbox, kynárna, trouba)

2

Nerezové tělo i vnitřek

odolnost
hygiena

3

Sledování parametrů HACCP

snadná evidence všech potřebných parametrů

4

Přednastavené cykly

velmi jednoduché a intuitivní ovládání

5

Pomalé vaření

lepší chuť
menší hmotnostní ztráty při vaření

6

Vícebodová sonda

precizní sledování teploty chlazení/mrazení/vaření

7

Rozmrazení

připravenost zamražené potraviny na zpracování na čas

8

Vaření přes noc

možnost přednastavit celé cykly programů a spustit přes noc bez obsluhy

Technical data sheet

Technical parameters



Cabinet 3x Door 120x66 HK

Model	SAP Code	00037988
INFINITY 0811.	A group of articles - web	Šokery a multifunkční zařízení

1. SAP Code:

00037988

2. Net Width [mm]:

790

3. Net Depth [mm]:

820

4. Net Height [mm]:

1322

5. Net Weight [kg]:

126.00

6. Gross Width [mm]:

846

7. Gross depth [mm]:

839

8. Gross Height [mm]:

1430

9. Gross Weight [kg]:

146.00

10. Device type:

Electric unit

11. Material:

AISI 304

12. Exterior color of the device:

Stainless steel

13. Power electric [kW]:

0.900

14. Loading:

230 V / 1N - 50 Hz

15. Control type:

Digital

16. Display size:

9"

17. Refrigerant:

R452a

18. Number of GN / EN:

8

19. GN / EN size in device:

GN 1/1

20. GN device depth:

65

21. Maximum device temperature [°C]:

-40

22. Shock freeze cycle kg / min (-18 ° C):

25/240

23. Shock cooling cycle kg / min (+3 ° C):

35/90

24. Insulation thickness [mm]:

60

25. Long-term cooling function:

Yes

26. Longterm freezing function:

Yes

27. Probe:

4-bodová

28. Self-diagnostics:

Yes

Technical data sheet

Technical parameters



Cabinet 3x Door 120x66 HK

Model	SAP Code	00037988
INFINITY 0811.	A group of articles - web	Šokery a multifunkční zařízení

29. Low temperature heat treatment:

Yes

30. Low temperature cooking span [°C]:

52-85

31. Thaving cycle:

Yes

32. User programmable cycles:

Yes, with save options

33. USB port:

Yes, for HACCP and firmware update

34. Castors:

Optional

35. Real time monitoring paramaters:

Energy consumption, Chamber temperature, Probe temperature, Graph with the course of temperature and consumption

36. Drain connection:

Yes

37. Cross-section of conductors CU [mm²]:

0,5

38. Humidification:

Yes

39. Condensate container:

No