

Technical data sheet

Product features



Meat mincer 2 grinding groups removable grinding unit 300 kg/h 400 V

| | | |
|--------------|-----------------|----------|
| Model | SAP Code | 00004312 |
|--------------|-----------------|----------|



- Composition for meat grinders: Two-fold
- Maximal production per hour [kg/h]: 300
- Unmountable head: Yes
- Material: Aluminium
- Diameter of inner matrix [mm]: 8 + 4,5
- Diameter of outer matrix [mm]: 80
- Standard equipment for device: plastic push pin
- Suitable consumer: suitable for medium-sized restaurants
- Additional information: tomato press can be purchased
- Main switch: Yes

| | | | |
|------------------------|----------|---|--------------------|
| SAP Code | 00004312 | Power electric [kW] | 1.100 |
| Net Width [mm] | 290 | Loading | 400 V / 3N - 50 Hz |
| Net Depth [mm] | 450 | Maximal production per hour [kg/h] | 300 |
| Net Height [mm] | 520 | Unmountable head | Yes |
| Net Weight [kg] | 25.00 | Composition for meat grinders | Two-fold |

Technical data sheet

Product benefits



Meat mincer 2 grinding groups removable grinding unit 300 kg/h 400 V

| | | |
|--------------|-----------------|----------|
| Model | SAP Code | 00004312 |
|--------------|-----------------|----------|

1

Double fold

better product processing

- due to the double composition, the machine provides multiple food processing options, thus saving costs and time

2

Reverse gear

easy to control

- no need to disassemble the grinder when the auger is overloaded

3

Production 300kg/h

large capacity

- great price/performance ratio
- time and cost saving

4

Polished aluminum body

robustness

purity

- long service life
- very easy to clean

5

Removable head

robustness

purity

- thanks to the removable head, it is much easier to clean and thus saves time
- better cleaning quality ensures hygienic safety

6

Stainless steel hopper

durability

hygienic cleanliness

- very long hopper life due to robustness
- very easy to maintain hygienic cleanliness thanks to smooth surface and rounded corners

Technical data sheet

Technical parameters



Meat mincer 2 grinding groups removable grinding unit 300 kg/h 400 V

| Model | SAP Code | 00004312 |
|-------|----------|----------|
|-------|----------|----------|

1. SAP Code:

00004312

2. Net Width [mm]:

290

3. Net Depth [mm]:

450

4. Net Height [mm]:

520

5. Net Weight [kg]:

25.00

6. Gross Width [mm]:

300

7. Gross depth [mm]:

540

8. Gross Height [mm]:

480

9. Gross Weight [kg]:

27.00

10. Device type:

Electric unit

11. Material:

Aluminium

12. Exterior color of the device:

Stainless steel

13. Power electric [kW]:

1.100

14. Loading:

400 V / 3N - 50 Hz

15. Control type:

Mechanical

16. Suitable consumer:

suitable for medium-sized restaurants

17. Main switch:

Yes

18. Unmountable head:

Yes

19. Maximal production per hour [kg/h]:

300

20. Standard equipment for device:

plastic push pin

21. Additional information:

tomato press can be purchased

22. Composition for meat grinders:

Two-fold

23. Diameter of inner matrix [mm]:

8 + 4,5

24. Diameter of outer matrix [mm]:

80

25. Inverse of device:

Yes

26. Cross-section of conductors CU [mm²]:

1

- Výkon (kW): 3,7-5 (230 V); 6,4-8,7 (400 V)