

Technical data sheet

Product features



Electric fryer 2x13l

Model

SAP Code

00009373



- Basin volume [l]: 13+13
- Drain type: On the front panel
- Safety drain: Yes
- Maximum device temperature [°C]: 190
- Minimum device temperature [°C]: 50
- Material: AISI 304 top plate and cladding
- Heating location: Inside the tank
- Number of baskets: 2
- Basket size [mm]: 2x 280 x 295 x 100

SAP Code	00009373	Loading	400 V / 3N - 50 Hz
Net Width [mm]	800	Basin volume [l]	13+13
Net Depth [mm]	730	Number of basins	2
Net Height [mm]	300	Number of baskets	2
Net Weight [kg]	44.20	Basket size [mm]	2x 280 x 295 x 100
Power electric [kW]	25.000	Ratio power/volume [kW/l]	0.96

Technical data sheet

Technical drawing




Electric fryer 2x13l

Model

SAP Code

00009373



Technical data sheet

Technical parameters



Electric fryer 2x13l

Model

SAP Code

00009373

1. SAP Code:

00009373

2. Net Width [mm]:

800

3. Net Depth [mm]:

730

4. Net Height [mm]:

300

5. Net Weight [kg]:

44.20

6. Gross Width [mm]:

840

7. Gross depth [mm]:

800

8. Gross Height [mm]:

480

9. Gross Weight [kg]:

53.00

10. Device type:

Electric unit

11. Construction type of device:

Table top

12. Power electric [kW]:

25.000

13. Loading:

400 V / 3N - 50 Hz

14. Protection of controls:

IPX4

15. Exterior color of the device:

Stainless steel

16. Material:

AISI 304 top plate and cladding

17. Indicators:

operation and warm-up

18. Worktop type:

Molded - comfortable cleaning maintenance

19. Worktop material:

AISI 304

20. Worktop Thickness [mm]:

1.50

21. Device heating type:

Direct

22. Standard equipment for device:

lid and basket

23. Basin volume [l]:

13+13

24. Basin dimensions [mm x mm x mm]:

308 x 338 x 199

25. Maximum device temperature [°C]:

190

26. Minimum device temperature [°C]:

50

27. Safety thermostat:

Yes

28. Safety thermostat up to x ° C:

230

Technical data sheet

Technical parameters



Electric fryer 2x13l

Model

SAP Code

00009373

29. Heating element material:

AISI 304

34. Ratio power/volume [kW/l]:

0.96

30. Number of baskets:

2

35. Drain type:

On the front panel

31. Number of basins:

2

36. Safety drain:

Yes

32. Basket size [mm]:

2x 280 x 295 x 100

37. Heating location:

Inside the tank

33. Basin material:

AISI 304 - High quality stainless steel