

# Technical data sheet

## Product features



### Freezing cabinet 700 l glass door GN 2/1, stainless steel

<b>Model</b>	<b>SAP Code</b>	00012000
--------------	-----------------	----------



- GN / EN size in device: GN 2/1
- Chamber volume [l]: 458
- Minimum device temperature [°C]: -24
- Maximum device temperature [°C]: -10
- Insulation thickness [mm]: 90
- Control type: Digital
- Interior lighting: Yes
- Door lock: Yes
- Automatic defrost: Yes
- HACCP: Yes
- Annual energy consumption [kWh]: 3167

<b>SAP Code</b>	00012000	<b>Gross Volume [m3]</b>	1.445
<b>Net Width [mm]</b>	733	<b>Net Volume [m3]</b>	1.328
<b>Net Depth [mm]</b>	867	<b>Number of GN / EN</b>	24
<b>Net Height [mm]</b>	2090	<b>GN / EN size in device</b>	GN 2/1
<b>Net Weight [kg]</b>	149.20	<b>Minimum device temperature [°C]</b>	-24
<b>Power electric [kW]</b>	0.526	<b>Maximum device temperature [°C]</b>	-10
<b>Loading</b>	230 V / 1N - 50 Hz	<b>Refrigerant</b>	R290
<b>Energy class</b>	G	<b>Climate class</b>	5
<b>Chamber volume [l]</b>	458		

# Technical data sheet

Technical drawing




Freezing cabinet 700 l glass door GN 2/1, stainless steel

Model

SAP Code

00012000



# Technical data sheet

## Product benefits



### Freezing cabinet 700 l glass door GN 2/1, stainless steel

Model	SAP Code	00012000
-------	----------	----------

- 1 Insulation 90mm**
  - minimal losses
  - energy saving
- 2 Two-sided opening**
  - location variability
  - greater operational efficiency
  - better kitchen ergonomics
- 3 All-stainless design**
  - corrosion resistance
  - longer service life
  - health safety
- 4 Automatic defrosting**
  - nothing needs to be watched
  - always working properly without extra operator requirements
- 5 Wheels, legs**
  - variability
  - user comfort
- 6 High energy class**
  - minimal energy loss
  - high efficiency
  - guaranteed chilled food
  - cost saving
  - hygienic safety

# Technical data sheet

Technical parameters



## Freezing cabinet 700 l glass door GN 2/1, stainless steel

**Model**

**SAP Code**

00012000

**1. SAP Code:**

00012000

**2. Net Width [mm]:**

733

**3. Net Depth [mm]:**

867

**4. Net Height [mm]:**

2090

**5. Net Weight [kg]:**

149.20

**6. Gross Width [mm]:**

763

**7. Gross depth [mm]:**

873

**8. Gross Height [mm]:**

2170

**9. Gross Weight [kg]:**

164.20

**10. Device type:**

Electric unit

**11. Power electric [kW]:**

0.526

**12. Loading:**

230 V / 1N - 50 Hz

**13. Energy class:**

G

**14. Refrigerant:**

R290

**15. Material:**

AISI 304

**16. Exterior color of the device:**

Stainless steel

**17. Max ambient temperature [°C]:**

40

**18. Device properties 2:**

Freezing

**19. GN / EN size in device:**

GN 2/1

**20. Number of GN / EN:**

24

**21. Chamber volume [l]:**

458

**22. Gross Volume [m3]:**

1.445

**23. Net Volume [m3]:**

1.328

**24. Adjustable feet:**

Yes

**25. Insulation thickness [mm]:**

90

**26. Number of doors:**

1

**27. Unit:**

Yes

**28. Control type:**

Digital

# Technical data sheet

Technical parameters



## Freezing cabinet 700 l glass door GN 2/1, stainless steel

**Model**

**SAP Code**

00012000

**29. Door lock:**

Yes

**34. Maximum device temperature [°C]:**

-10

**30. Interior lighting:**

Yes

**35. Automatic defrost:**

Yes

**31. HACCP:**

Yes

**36. Number of grids:**

3

**32. Annual energy consumption [kWh]:**

3167

**37. Climate class:**

5

**33. Minimum device temperature [°C]:**

-24

**38. Cross-section of conductors CU [mm<sup>2</sup>]:**

0,5

- Výkon (kW): 2,4-3,3 (230 V)