

# Technical data sheet

## Product features



### Multifunctional kitchen appliance INFINITY 10x GN 1/1 HK

<b>Model</b>	<b>SAP Code</b>	00038666
--------------	-----------------	----------



- Shock cooling cycle kg / min (+3 ° C): 45/90
- Shock freeze cycle kg / min (-18 ° C): 30/240
- Maximum device temperature [°C]: -40
- Probe: 4-bodová
- Insulation thickness [mm]: 80
- Control type: Touchscreen
- Display size: 9"
- User programmable cycles: Yes, with save options
- Thaving cycle: Yes
- Proving cycle: Yes

<b>SAP Code</b>	00038666	<b>GN / EN size in device</b>	GN 1/1
<b>Net Width [mm]</b>	790	<b>GN device depth</b>	65
<b>Net Depth [mm]</b>	820	<b>Shock cooling cycle kg / min (+3 ° C)</b>	45/90
<b>Net Height [mm]</b>	1650	<b>Shock freeze cycle kg / min (-18 ° C)</b>	30/240
<b>Net Weight [kg]</b>	179.00	<b>Control type</b>	Touchscreen
<b>Power electric [kW]</b>	1.600	<b>Humidification</b>	Yes
<b>Loading</b>	400 V / 3N - 50 Hz	<b>Condensate container</b>	No
<b>Number of GN / EN</b>	10		

# Technical data sheet

Technical drawing



## Multifunctional kitchen appliance INFINITY 10x GN 1/1 HK




Model

SAP Code

00038666



- A= ELECTRICAL CONNECTION
- B= GAS CONNECTION ø14 ø18
- C= GAS CONNECTION ø14 ø22
- D= WATER DISCHARGE ø18 (F)
- E= WATER INLET CONNECTION G3/4" (M) (ALL-IN-ONE)
- F= WATER OUTLET CONNECTION ø20 (M) (ALL-IN-ONE)



# Technical data sheet

## Product benefits



### Multifunctional kitchen appliance INFINITY 10x GN 1/1 HK

Model

SAP Code

00038666

1

#### 6v1

dokáže zastoupit 6 zařízení (lednice, mrazák, šoker, hodbox, kynárna, trouba)

- díky obrovské variabilitě šetří místo, čas, energii a náklady na pořízení dalších zařízení

2

#### Nerezové tělo i vnitřek

odolnost  
hygiena

- díky celonerezové konstrukci se velmi snadno udržuje a tím šetří náklady

3

#### Sledování parametrů HACCP

snadná evidence všech potřebných parametrů

- bezproblémové dokazování správného nakládání s potravinami při případné kontrole

4

#### Přednastavené cykly

velmi jednoduché a intuitivní ovládání

- obsluhu může zvládnout i méně kvalifikovaná obsluha

5

#### Pomalé vaření

lepší chuť  
menší hmotnostní ztráty při vaření

- díky menším ztrátám hmotnosti zařízení šetří náklady

6

#### Vícebodová sonda

precizní sledování teploty chlazení/mrazení/vaření

- díky sondě je lépe zajištěna bezpečnost potravin
- vzhledem k ukončení zchlazování/zmrazování/vaření po dosažení teploty šetří energii a čas

7

#### Rozmrazení

připravenost zamražené potravin na zpracování na čas

- úspora času
- řízená manipulace s potravinami

8

#### Vaření přes noc

možnost přednastavit celé cykly programů a spustit přes noc bez obsluhy

- úspora kapacity zařízení přes den
- úspora lidské kapacity a času, díky bezobslužnému provozu zařízení přes noc

# Technical data sheet

Technical parameters



## Multifunctional kitchen appliance INFINITY 10x GN 1/1 HK

**Model**

**SAP Code**

00038666

**1. SAP Code:**

00038666

**2. Net Width [mm]:**

790

**3. Net Depth [mm]:**

820

**4. Net Height [mm]:**

1650

**5. Net Weight [kg]:**

179.00

**6. Gross Width [mm]:**

846

**7. Gross depth [mm]:**

839

**8. Gross Height [mm]:**

1778

**9. Gross Weight [kg]:**

190.00

**10. Device type:**

Electric unit

**11. Material:**

AISI 304

**12. Exterior color of the device:**

Stainless steel

**13. Power electric [kW]:**

1.600

**14. Loading:**

400 V / 3N - 50 Hz

**15. Control type:**

Touchscreen

**16. Display size:**

9"

**17. Refrigerant:**

R452a

**18. Number of GN / EN:**

10

**19. GN / EN size in device:**

GN 1/1

**20. GN device depth:**

65

**21. Maximum device temperature [°C]:**

-40

**22. Shock freeze cycle kg / min (-18 ° C):**

30/240

**23. Shock cooling cycle kg / min (+3 ° C):**

45/90

**24. Insulation thickness [mm]:**

80

**25. Long-term cooling function:**

Yes

**26. Longterm freezing function:**

Yes

**27. Probe:**

4-bodová

**28. Self-diagnostics:**

Yes

# Technical data sheet

Technical parameters



## Multifunctional kitchen appliance INFINITY 10x GN 1/1 HK

Model

SAP Code

00038666

### 29. Interior lighting:

Yes

### 30. HACCP:

Yes

### 31. Low temperature heat treatment:

Yes

### 32. Low temperature cooking span [°C]:

52-85

### 33. Thaving cycle:

Yes

### 34. Proving cycle:

Yes

### 35. User programmable cycles:

Yes, with save options

### 36. USB port:

Yes, for HACCP and firmware update

### 37. Castors:

Optional

### 38. Real time monitoring paramaters:

Energy consumption, Chamber temperature, Probe temperature, Graph with the course of temperature and consumption

### 39. Drain connection:

Yes

### 40. Cross-section of conductors CU [mm<sup>2</sup>]:

0,5

- Výkon (kW): 2,4-3,3 (230 V)

### 41. Humidification:

Yes

### 42. Condensate container:

No