

Technical data sheet

Product features



Ice maker hollow ice cube 22 g air cooling 75 kg/24h

Model	SAP Code	00018496
--------------	-----------------	----------



- Cooling type: Air
- Max ambient temperature [°C]: 43
- Min ambient temperature [°C]: 10
- Type of ice: Hatter
- Weight of ice [g]: 22.00
- Production per day [kg]: 75
- Water consumption [l/h]: 10.50
- Container for ice: Yes
- Ice storage capacity [kg]: 35
- Material: AISI 304

SAP Code	00018496	Cooling type	Air
Net Width [mm]	715	Water consumption [l/h]	10.50
Net Depth [mm]	595	Production per day [kg]	75
Net Height [mm]	1044	Type of ice	Hatter
Net Weight [kg]	63.00	Weight of ice [g]	22.00
Power electric [kW]	0.680	Ice storage capacity [kg]	35
Loading	230 V / 1N - 50 Hz	Drain pump	No

Technical data sheet

Technical drawing







Ice maker hollow ice cube 22 g air cooling 75 kg/24h

Model

SAP Code

00018496



* All measurements in mm.
* Todas las cotas en mm.

Technical data sheet

Product benefits



Ice maker hollow ice cube 22 g air cooling 75 kg/24h

Model	SAP Code	00018496
-------	----------	----------

- 1 Firm and crystal clear ice hats**
icy hats without dirt
 - health safety and aesthetic impression
- 2 A3S: System with flexible nozzles with minor vibrations**
prevents limescale from settling.
 - longer life of the device without the need to remove scale
- 3 SFVS front ventilation**
allows the units of the unit to the interior
 - variability of the location of the device
- 4 Cleaning switch**
disconnects the cooling system when circulating water with a limescale removal product
 - saving human work and time
- 5 Motor pump "NEVER STOP" (construction without seal)**
prevents depreciation in hard water
 - longer life of the device without the need to remove scale = economic and time savings
- 6 EASI: Installation and service system - all panels can be removed separately**
easy access for installation and service.
 - saving time, human work, costs
- 7 Printed circuit board at the bottom**
easy service
 - saving time and human work
- 8 Tropical version of the machine (class t)**
adaptation to extreme climatic conditions.
 - use in extreme climatic conditions
- 9 Stif: a construction supported by 4 -steel columns**
strength
 - the possibility of higher loads and a difficult deformation

Technical data sheet

Technical parameters



Ice maker hollow ice cube 22 g air cooling 75 kg/24h

Model

SAP Code

00018496

1. SAP Code:

00018496

2. Net Width [mm]:

715

3. Net Depth [mm]:

595

4. Net Height [mm]:

1044

5. Net Weight [kg]:

63.00

6. Gross Width [mm]:

780

7. Gross depth [mm]:

680

8. Gross Height [mm]:

1075

9. Gross Weight [kg]:

81.00

10. Device type:

Electric unit

11. Power electric [kW]:

0.680

12. Loading:

230 V / 1N - 50 Hz

13. Refrigerant:

R290

27. Drain pump:

No

14. Cooling type:

Air

15. Material:

AISI 304

16. Exterior color of the device:

Stainless steel

17. Min ambient temperature [°C]:

10

18. Max ambient temperature [°C]:

43

19. Additional information:

Max. height with legs 1094 mm

20. Production per day [kg]:

75

21. Water consumption [l/h]:

10.50

22. Door of device:

Full

23. Type of ice:

Hatter

- Kloboučkový

24. Weight of ice [g]:

22.00

25. Container for ice:

Yes

26. Ice storage capacity [kg]:

35

29. Water supply connection:

3/4"

Technical data sheet

Technical parameters



Ice maker hollow ice cube 22 g air cooling 75 kg/24h

Model

SAP Code

00018496

28. Cross-section of conductors CU [mm²]:

0,5

– Výkon (kW): 2,4-3,3 (230 V)

30. Diameter nominal:

DN 50