

# Technical data sheet



## Product features

### Fry-top griddle plate 71x65 electric smooth on open cabinet 400 V

<b>Model</b>	<b>SAP Code</b>	00012296
--------------	-----------------	----------



- Top type: Smooth
- Worktop material: Sandblasted steel
- Maximum device temperature [°C]: 300

<b>SAP Code</b>	00012296	<b>Net Weight [kg]</b>	126.00
<b>Net Width [mm]</b>	800	<b>Power electric [kW]</b>	12.000
<b>Net Depth [mm]</b>	900	<b>Loading</b>	400 V / 3N - 50 Hz
<b>Net Height [mm]</b>	900	<b>Top type</b>	Smooth

# Technical data sheet



## Product benefits

### Fry-top griddle plate 71x65 electric smooth on open cabinet 400 V

Model

SAP Code

00012296

1

#### All-stainless design

- long life
- corrosion resistance of the top plate material
  - savings on service interventions
  - higher corrosion resistance

2

#### Degree of protection of the control elements IPX4

- maintenance-free system
- resistance to splash water
- long life
  - savings on service interventions
  - easy cleaning and maintenance of equipment

3

#### Outlet for waste liquids

- ensures that oil drips into the socket
  - easy maintenance
  - easy cleaning

4

#### High detachable hem

- better hygienic conditions
- preventing grease from splashing onto ancillary equipment
  - easy maintenance
  - easy cleaning

5

#### Smooth steel plate

- good heat transfer and the surface does not get scratched
- enables preparation on smooth or grooved plates
  - time-saving for food preparation
  - no reheating and long cooking times

6

#### Two-zone hotplate control

- allows you to prepare several dishes at the same time in different stages of preparation
  - time saving
  - high productivity

# Technical data sheet



## Technical parameters

### Fry-top griddle plate 71x65 electric smooth on open cabinet 400 V

<b>Model</b>	<b>SAP Code</b>	00012296
--------------	-----------------	----------

**1. SAP Code:**

00012296

**12. Power electric [kW]:**

12.000

**2. Net Width [mm]:**

800

**13. Loading:**

400 V / 3N - 50 Hz

**3. Net Depth [mm]:**

900

**14. Protection of controls:**

IPX4

**4. Net Height [mm]:**

900

**15. Material:**

AISI 304 top plate, AISI 430 cladding

**5. Net Weight [kg]:**

126.00

**16. Worktop material:**

Sandblasted steel

**6. Gross Width [mm]:**

970

**17. Worktop Thickness [mm]:**

15.00

**7. Gross depth [mm]:**

840

**18. Maximum device temperature [°C]:**

300

**8. Gross Height [mm]:**

1160

**19. Minimum device temperature [°C]:**

50

**9. Gross Weight [kg]:**

145.00

**20. Adjustable feet:**

Yes

**10. Device type:**

Electric unit

**21. Top type:**

Smooth

**11. Construction type of device:**

Stationary