


Sausage/vegetable steamer twin with tap 2x GN 1/2			
Model	SAP Code	00005199	
		<ul> <li>Material: Stainless steel</li> <li>Indicators: operation and warm-up</li> <li>Minimum device temperature [°C]: 30</li> <li>Maximum device temperature [°C]: 90</li> <li>Number of GN / EN: 2</li> <li>GN / EN size in device: GN 1/2</li> <li>GN device depth: 150</li> <li>Heating location: Under the bottom of the bathtub</li> <li>False bottom: Yes</li> <li>Standard equipment for device: hinged lid</li> </ul>	

SAP Code	00005199	Minimum device tem- perature [°C]	30
Net Width [mm]	534	Maximum device tem- perature [°C]	90
Net Depth [mm]	364	Number of GN / EN	2
Net Height [mm]	244	GN / EN size in device	GN 1/2
Net Weight [kg]	11.42	GN device depth	150
Power electric [kW]	2.000	Drain	Yes
Loading	230 V / 1N - 50 Hz		



 Sausage/vegetable steamer twin tap 2x GN 1/2

 Model
 SAP Code
 00005199





del	SAP Code	00005199	
1	All-stainless design only stainless steel intended for food contact is used – absolutely rust-proof and non-magnetic design resists even weak acids easier compliance with hygiene standards (HACCP); easy maintenance and cleaning		
2	Capacity GN 2x1/2150 extra high capacity - possibility to heat large quantities of sausages at once		
3	<ul> <li>Drain cock with safety lock</li> <li>the possibility to drain the bath without the need for complex handling of the device</li> <li>easy draining of the water from the tub with the spout</li> </ul>		
4	Heaters outside the bath heating element under the bottom of the bath - the body is hidden under the bottom of the tub and cannot be accidentally damaged or injure the operator or burn the food		
5	<ul> <li>Warm-up indicator light</li> <li>optical possibility to check the status of the device</li> <li>the operator immediately knows the on/off, heating/ non-heating state of the appliance</li> </ul>		
6	<ul> <li>Removable / double bottom</li> <li>enables the heating of sausages in steam <ul> <li>there is no leaching of raw material into the water</li> <li>the raw material does not crack when cooked in water</li> <li>I don't have to heat so much water</li> <li>the food retains more of its flavour</li> </ul> </li> </ul>		
7	Split hinged lid the lid remains on the appliance only the part where I manipulate is open – less heat loss – I don't need a space to store the lid – safer handling		

Technical parameters



Sausage/vegetable steamer twin with	h tap 2x GN 1/2
Model S/	AP Code 00005199
<b>1. SAP Code:</b> 00005199	<b>14. Loading:</b> 230 V / 1N - 50 Hz
<b>2. Net Width [mm]:</b>	<b>15. Standard equipment for device:</b>
534	hinged lid
<b>3. Net Depth [mm]:</b> 364	<b>16. Number of GN / EN:</b>
<b>4. Net Height [mm]:</b> 244	<b>17. GN / EN size in device:</b> GN 1/2
5. Net Weight [kg]:	<b>18. GN device depth:</b>
11.42	150
6. Gross Width [mm]: 450	<b>19. Minimum device temperature [°C]:</b>
<b>7. Gross depth [mm]:</b>	<b>20. Maximum device temperature [°C]:</b>
575	90
8. Gross Height [mm]:	<b>21. Protection of controls:</b>
330	IPX4
<b>9. Gross Weight [kg]:</b>	<b>22. Drain:</b>
13.50	Yes
<b>10. Device type:</b>	23. Indicators:
Electric unit	operation and warm-up
11. Construction type of device:	<b>24. Heating location:</b>
Table top	Under the bottom of the bathtub
<b>2. Material:</b>	<b>25. False bottom:</b>
Stainless steel	Yes

2.000