

# Technical data sheet

Product features



## Cooling counter 3 chambers 2-2-2-AD-PK with splash back

<b>Model</b>	<b>SAP Code</b>	00020757
--------------	-----------------	----------

- Material: Stainless steel
- GN / EN size in device: GN 1/1
- Number of drawers: 6
- Control type: Digital
- Minimum device temperature [°C]: -2
- Maximum device temperature [°C]: 8
- Max ambient temperature [°C]: 43
- Insulation thickness [mm]: 70
- Unit: Right

<b>SAP Code</b>	00020757	<b>Number of drawers</b>	6
<b>Net Width [mm]</b>	1880	<b>GN / EN size in device</b>	GN 1/1
<b>Net Depth [mm]</b>	700	<b>Minimum device temperature [°C]</b>	-2
<b>Net Height [mm]</b>	850	<b>Maximum device temperature [°C]</b>	8
<b>Net Weight [kg]</b>	140.00	<b>Refrigerant</b>	R290
<b>Power electric [kW]</b>	0.380	<b>Worktop material</b>	Stainless steel
<b>Loading</b>	230 V / 1N - 50 Hz		

# Technical data sheet

Technical parameters



## Cooling counter 3 chambers 2-2-2-AD-PK with splash back

**Model**

**SAP Code**

00020757

**1. SAP Code:**

00020757

**2. Net Width [mm]:**

1880

**3. Net Depth [mm]:**

700

**4. Net Height [mm]:**

850

**5. Net Weight [kg]:**

140.00

**6. Gross Width [mm]:**

1950

**7. Gross depth [mm]:**

750

**8. Gross Height [mm]:**

900

**9. Gross Weight [kg]:**

160.00

**10. Device type:**

Electric unit

**11. Power electric [kW]:**

0.380

**12. Loading:**

230 V / 1N - 50 Hz

**13. Refrigerant:**

R290

**14. Cooling type:**

Dinamic

**15. Material:**

Stainless steel

**16. Exterior color of the device:**

Stainless steel

**17. Min ambient temperature [°C]:**

10

**18. Max ambient temperature [°C]:**

43

**19. Device properties 2:**

Cooling

**20. GN / EN size in device:**

GN 1/1

**21. Worktop material:**

Stainless steel

**22. Adjustable feet:**

Yes

**23. Pizza design:**

No

**24. Insulation thickness [mm]:**

70

**25. Number of drawers:**

6

**26. Unit:**

Right

**27. Control type:**

Digital

**28. Minimum device temperature [°C]:**

-2

# Technical data sheet

Technical parameters



## Cooling counter 3 chambers 2-2-2-AD-PK with splash back

**Model**

**SAP Code**

00020757

### 29. Maximum device temperature [°C]:

8

### 31. Net Volume [m3]:

1,119

### 30. Gross Volume [m3]:

1.316

### 32. Cross-section of conductors CU [mm<sup>2</sup>]:

0,5

– Výkon (kW): 2,4-3,3 (230 V)