

# Technical data sheet

Product features



## Cooling cabinet 700 l without compressor GN 2/1, stainless steel

<b>Model</b>	<b>SAP Code</b>	00012005
--------------	-----------------	----------

- GN / EN size in device: GN 2/1
- Chamber volume [l]: 458
- Minimum device temperature [°C]: -2
- Maximum device temperature [°C]: 7
- Insulation thickness [mm]: 90
- Door lock: No
- Annual energy consumption [kWh]: 332

<b>SAP Code</b>	00012005	<b>Gross Volume [m3]</b>	1.445
<b>Net Width [mm]</b>	733	<b>Net Volume [m3]</b>	1.298
<b>Net Depth [mm]</b>	847	<b>Number of GN / EN</b>	24
<b>Net Height [mm]</b>	2090	<b>GN / EN size in device</b>	GN 2/1
<b>Net Weight [kg]</b>	132.20	<b>Minimum device temperature [°C]</b>	-2
<b>Loading</b>	230 V / 1N - 50 Hz	<b>Maximum device temperature [°C]</b>	7
<b>Chamber volume [l]</b>	458	<b>Refrigerant</b>	R290

# Technical data sheet

Technical drawing








Cooling cabinet 700 l without compressor GN 2/1, stainless steel

Model

SAP Code

00012005

A= ELECTRICAL CONNECTION SCHUKO  
B= GAS CONNECTION ø8 ø10



# Technical data sheet

## Product benefits



### Cooling cabinet 700 l without compressor GN 2/1, stainless steel

<b>Model</b>	<b>SAP Code</b>	00012005
--------------	-----------------	----------

- 1 Insulation 90mm**
  - minimal losses
    - energy saving
- 2 Two-sided opening**
  - location variability
    - greater operational efficiency
    - better kitchen ergonomics
- 3 All-stainless design**
  - corrosion resistance
    - longer service life
    - health safety
- 4 Automatic defrosting**
  - nothing needs to be watched
    - always working properly without extra operator requirements
- 5 Wheels, legs**
  - variability
    - user comfort
- 6 High energy class**
  - minimal energy loss
  - high efficiency
  - guaranteed chilled food
    - cost saving
    - hygienic safety

# Technical data sheet

Technical parameters



## Cooling cabinet 700 l without compressor GN 2/1, stainless steel

Model	SAP Code	00012005
-------	----------	----------

**1. SAP Code:**

00012005

**2. Net Width [mm]:**

733

**3. Net Depth [mm]:**

847

**4. Net Height [mm]:**

2090

**5. Net Weight [kg]:**

132.20

**6. Gross Width [mm]:**

763

**7. Gross depth [mm]:**

873

**8. Gross Height [mm]:**

2170

**9. Gross Weight [kg]:**

147.20

**10. Device type:**

Electric unit

**11. Loading:**

230 V / 1N - 50 Hz

**12. Refrigerant:**

R290

**13. Material:**

AISI 304

**14. Max ambient temperature [°C]:**

40

**15. Device properties 2:**

Cooling

**16. GN / EN size in device:**

GN 2/1

**17. Number of GN / EN:**

24

**18. Chamber volume [l]:**

458

**19. Gross Volume [m3]:**

1.445

**20. Net Volume [m3]:**

1.298

**21. Adjustable feet:**

Yes

**22. Insulation thickness [mm]:**

90

**23. Unit:**

No

**24. Door lock:**

No

**25. Annual energy consumption [kWh]:**

332

**26. Minimum device temperature [°C]:**

-2

**27. Maximum device temperature [°C]:**

7

**28. Number of grids:**

3