

Technical data sheet

Product features



Ice maker hollow ice cube 22 g air cooling 47 kg/24 h

| | | |
|--------------|-----------------|----------|
| Model | SAP Code | 00018490 |
|--------------|-----------------|----------|



- Cooling type: Air
- Max ambient temperature [°C]: 43
- Min ambient temperature [°C]: 10
- Type of ice: Hatter
- Weight of ice [g]: 22.00
- Production per day [kg]: 37
- Water consumption [l/h]: 4.00
- Container for ice: Yes
- Ice storage capacity [kg]: 20
- Material: AISI 304

| | | | |
|----------------------------|--------------------|----------------------------------|--------|
| SAP Code | 00018490 | Cooling type | Air |
| Net Width [mm] | 465 | Water consumption [l/h] | 4.00 |
| Net Depth [mm] | 595 | Production per day [kg] | 37 |
| Net Height [mm] | 894 | Type of ice | Hatter |
| Net Weight [kg] | 41.00 | Weight of ice [g] | 22.00 |
| Power electric [kW] | 0.376 | Ice storage capacity [kg] | 20 |
| Loading | 230 V / 1N - 50 Hz | Drain pump | No |

Technical data sheet

Technical drawing







Ice maker hollow ice cube 22 g air cooling 47 kg/24 h

Model

SAP Code

00018490



* All measurements in mm.
* Todas las cotas en mm.

Technical data sheet

Product benefits



Ice maker hollow ice cube 22 g air cooling 47 kg/24 h

| Model | SAP Code | 00018490 |
|-------|----------|----------|
|-------|----------|----------|

- 1 Firm and crystal clear ice hats**
icy hats without dirt
 - health safety and aesthetic impression
- 2 A3S: System with flexible nozzles with minor vibrations**
prevents limescale from settling.
 - longer life of the device without the need to remove scale
- 3 SFVS front ventilation**
allows the units of the unit to the interior
 - variability of the location of the device
- 4 Cleaning switch**
disconnects the cooling system when circulating water with a limescale removal product
 - saving human work and time
- 5 Motor pump "NEVER STOP" (construction without seal)**
prevents depreciation in hard water
 - longer life of the device without the need to remove scale = economic and time savings
- 6 EASI: Installation and service system - all panels can be removed separately**
easy access for installation and service.
 - saving time, human work, costs
- 7 Printed circuit board at the bottom**
easy service
 - saving time and human work
- 8 Tropical version of the machine (class t)**
adaptation to extreme climatic conditions.
 - use in extreme climatic conditions
- 9 Stif: a construction supported by 4 -steel columns**
strength
 - the possibility of higher loads and a difficult deformation

Technical data sheet

Technical parameters



Ice maker hollow ice cube 22 g air cooling 47 kg/24 h

| | | |
|--------------|-----------------|----------|
| Model | SAP Code | 00018490 |
|--------------|-----------------|----------|

1. SAP Code:

00018490

2. Net Width [mm]:

465

3. Net Depth [mm]:

595

4. Net Height [mm]:

894

5. Net Weight [kg]:

41.00

6. Gross Width [mm]:

540

7. Gross depth [mm]:

650

8. Gross Height [mm]:

920

9. Gross Weight [kg]:

56.00

10. Device type:

Electric unit

11. Power electric [kW]:

0.376

12. Loading:

230 V / 1N - 50 Hz

13. Refrigerant:

R290

14. Cooling type:

Air

15. Material:

AISI 304

16. Min ambient temperature [°C]:

10

17. Max ambient temperature [°C]:

43

18. Additional information:

Max. height with legs 944 mm

19. Production per day [kg]:

37

20. Water consumption [l/h]:

4.00

21. Door of device:

Full

22. Type of ice:

Hatter

- Kloboučkový

23. Weight of ice [g]:

22.00

24. Container for ice:

Yes

25. Ice storage capacity [kg]:

20

26. Drain pump:

No

Technical data sheet

Technical parameters



Ice maker hollow ice cube 22 g air cooling 47 kg/24 h

Model

SAP Code

00018490

27. Cross-section of conductors CU [mm²]:

0,5

– Výkon (kW): 2,4-3,3 (230 V)

29. Diameter nominal:

DN 50

28. Water supply connection:

3/4"