

Technical data sheet

Product features



Blender motor 250 W fixed speed

Model	SAP Code	00013299
--------------	-----------------	----------



- Mixing speed [rpm]: 15000
- Material: ABS plastic
- Number of speeds of device: 1
- Control type: Digital
- Safety element: thermal overload protection
- Way of tool mounting: Bayonet coupling, double, sliding nut
- Engine protection: overheating protection
- Main switch: Yes
- Ergonomic handle: Yes
- Additional information: interchangeable whisking, mixing, homogenising and emulsifying attachments
control board with SRS system for power and speed stabilisation

SAP Code	00013299	Net Weight [kg]	1.75
Net Width [mm]	75	Power electric [kW]	0.250
Net Depth [mm]	75	Loading	230 V / 1N - 50 Hz
Net Height [mm]	285	Mixing speed [rpm]	15000

Technical data sheet

Product benefits



Blender motor 250 W fixed speed

Model	SAP Code	00013299
--------------	-----------------	----------

1

Engine only

option to choose accessories as needed

- cost savings no need to buy what I don't need or, on the other hand, additional machines

2

Compact design

conformity
easy handling

- very easy to use for any operator in the kitchen

3

Ergonomic handle

easy and convenient to use

- higher security
- less fatigue during use

4

SRS technology

constant mixing speed even when processing foods with very hard particles

- perfect result even when mixing frozen foods

5

Bayonet clutch with star shape

perfect torque transmission
resistance to breaking out

- perfect food processing
- durability

Technical data sheet

Technical parameters



Blender motor 250 W fixed speed

Model	SAP Code	00013299
--------------	-----------------	----------

1. SAP Code:

00013299

2. Net Width [mm]:

75

3. Net Depth [mm]:

75

4. Net Height [mm]:

285

5. Net Weight [kg]:

1.75

6. Gross Width [mm]:

125

7. Gross depth [mm]:

110

8. Gross Height [mm]:

400

9. Gross Weight [kg]:

1.90

10. Device type:

Electric unit

11. Material:

ABS plastic

12. Exterior color of the device:

Hemlock

13. Power electric [kW]:

0.250

14. Loading:

230 V / 1N - 50 Hz

15. Number of speeds of device:

1

16. Control type:

Digital

17. Safety element:

thermal overload protection

18. Way of tool mounting:

Bayonet coupling, double, sliding nut

19. Engine protection:

overheating protection

20. Main switch:

Yes

21. Additional information:

interchangeable whisking, mixing, homogenising and emulsifying attachments
control board with SRS system for power and speed stabilisation

22. Ergonomic handle:

Yes

23. Gasket:

Yes

24. Connections material:

Polymer

25. Mixing speed [rpm]:

15000