

Technical data sheet

Product features



Cooking range glass ceramic drop-in electric 2x drop-in plate 400 V

Model	SAP Code	00007446
PCCD-64ET	A group of articles - web	Stoves



- Device type: Electric unit
- Power consumption of the zone 1 [kW]: 2,5
- Power consumption of the zone 2 [kW]: 2,5
- Protection of controls: IPX5
- Material: Stainless steel

SAP Code	00007446	Loading	400 V / 3N - 50 Hz
Net Width [mm]	400	Number of zones	2
Net Depth [mm]	600	Power consumption of the zone 1 [kW]	2,5
Net Height [mm]	50	Power consumption of the zone 2 [kW]	2,5
Net Weight [kg]	10.00	Ceramic glass dimensions [mm x mm]	350 x 570
Power electric [kW]	5.000		

Technical data sheet

Technical drawing



Cooking range glass ceramic drop-in electric 2x drop-in plate 400 V

Model	SAP Code	00007446
PCCD-64ET	A group of articles - web	Stoves




Tabella	
Descrizione	A
PCCD-64ET	400 mm
PCCD-68ET	800 mm

A	Data plate		B	Electrical connection	
---	------------	--	---	-----------------------	--

MODEL:	PCCD-64ET
DIMENSIONS:	cm. 40x 60x 5h
ELECTRIC POWER:	5 kW
VOLTAGE:	400V~2N / 230V~3 / 230V~
FREQUENCY:	50/60 Hz



kg:	12
m³:	0.127
mm:	430x630x470

Technical data sheet

Product benefits



Cooking range glass ceramic drop-in electric 2x drop-in plate 400 V

Model	SAP Code	00007446
PCCD-64ET	A group of articles - web	Stoves

1

Glass ceramic surface

quick warm-up
uniform heating and residual heat indicator

2

Internal thermostatic plate protection

longer service life of the plates

3

Degree of protection of the control elements IPX5

maintenance-free system
resistance to splash water
long life

4

All-stainless design

the material does not cut
wear resistance of the material
long life

5

Hygienic moldings of the top plate

absence of sharp corners and edges (potential places where dirt could stick)
smooth transitions

6

Variability

the possibility of attaching to a fixed plate as part of a monoblock
the possibility of creating one module
long life

Technical data sheet

Technical parameters



Cooking range glass ceramic drop-in electric 2x drop-in plate 400 V

Model	SAP Code	00007446
PCCD-64ET	A group of articles - web	Stoves

1. SAP Code:

00007446

2. Net Width [mm]:

400

3. Net Depth [mm]:

600

4. Net Height [mm]:

50

5. Net Weight [kg]:

10.00

6. Gross Width [mm]:

430

7. Gross depth [mm]:

630

8. Gross Height [mm]:

470

9. Gross Weight [kg]:

12.00

10. Device type:

Electric unit

11. Construction type of device:

Drop-in

12. Power electric [kW]:

5.000

13. Loading:

400 V / 3N - 50 Hz

14. Protection of controls:

IPX5

15. Material:

Stainless steel

16. Worktop type:

Molded - comfortable cleaning maintenance

17. Worktop material:

AISI 304

18. Worktop Thickness [mm]:

2.00

19. Number of zones:

2

20. Power consumption of the zone 1 [kW]:

2,5

21. Power consumption of the zone 2 [kW]:

2,5

22. Number of power control stages:

6

23. Service accessibility:

From the front by removing the front panel and waste fluid containers

24. Safety element:

internal thermostatic protection of the hotplate against overheating

25. Safety thermostat:

Yes

26. Number of burners/hot plates:

2

Technical data sheet

Technical parameters



Cooking range glass ceramic drop-in electric 2x drop-in plate 400 V

Model	SAP Code	00007446
PCCD-64ET	A group of articles - web	Stoves

27. Type of electric cooking zones:

Glass ceramic

29. Cross-section of conductors CU [mm²]:

1

28. Ceramic glass dimensions [mm x mm]:

350 x 570