

# Technical data sheet

## Product features



### Multifunctional kitchen appliance INFINITY 8x GN 1/1

<b>Model</b>	<b>SAP Code</b>	00010705
--------------	-----------------	----------



- Shock cooling cycle kg / min (+3 ° C): 35/90
- Shock freeze cycle kg / min (-18 ° C): 25/240
- Maximum device temperature [°C]: -40
- Probe: 4-points
- Insulation thickness [mm]: 80
- Control type: Digital
- Display size: 9"
- User programmable cycles: Yes, with save options
- Thaving cycle: Yes

<b>SAP Code</b>	00010705	<b>Number of GN / EN</b>	8
<b>Net Width [mm]</b>	790	<b>GN / EN size in device</b>	GN 1/1
<b>Net Depth [mm]</b>	839	<b>GN device depth</b>	65
<b>Net Height [mm]</b>	1322	<b>Shock cooling cycle kg / min (+3 ° C)</b>	35/90
<b>Net Weight [kg]</b>	126.00	<b>Shock freeze cycle kg / min (-18 ° C)</b>	25/240
<b>Power electric [kW]</b>	0.900	<b>Control type</b>	Digital
<b>Loading</b>	230 V / 1N - 50 Hz		

# Technical data sheet

Technical drawing




Multifunctional kitchen appliance INFINITY 8x GN 1/1

Model

SAP Code

00010705



# Technical data sheet

## Product benefits



### Multifunctional kitchen appliance INFINITY 8x GN 1/1

Model

SAP Code

00010705

1

#### 6 in 1

can replace 6 devices (fridge, freezer, shocker, hotbox, kitchen, oven)

- saves space, time, energy and the cost of additional equipment due to the enormous variability

2

#### Stainless steel body and interior

endurance  
hygiene

- thanks to the all-stainless steel construction it is very easy to maintain and thus saves costs

3

#### Monitoring of HACCP parameters

easy registration of all necessary parameters

- hassle-free proof of proper food handling in the event of an inspection

4

#### Preset cycles

very simple and intuitive operation

- operation can be handled by less qualified operators

5

#### Slow cooking

better taste  
less weight loss during cooking

- saves costs due to less weight loss

6

#### Multipoint probe

precise monitoring of the cooling/freezing/  
cooking temperature

- the probe makes it easier to ensure food safety
- saves energy and time due to the end of cooling/freezing/cooking when temperature is reached

7

#### Thawing

readiness of frozen food for processing on time

- time saving
- controlled food handling

8

#### Cooking during the night

the possibility to preset entire program cycles and run them overnight unattended

- saving equipment capacity during the day
- saving of human capacity and time due to unattended operation of the equipment overnight

# Technical data sheet

Technical parameters



## Multifunctional kitchen appliance INFINITY 8x GN 1/1

Model	SAP Code	00010705
-------	----------	----------

**1. SAP Code:**

00010705

**2. Net Width [mm]:**

790

**3. Net Depth [mm]:**

839

**4. Net Height [mm]:**

1322

**5. Net Weight [kg]:**

126.00

**6. Gross Width [mm]:**

846

**7. Gross depth [mm]:**

860

**8. Gross Height [mm]:**

1450

**9. Gross Weight [kg]:**

145.70

**10. Device type:**

Electric unit

**11. Material:**

AISI 304

**12. Exterior color of the device:**

Stainless steel

**13. Power electric [kW]:**

0.900

**14. Loading:**

230 V / 1N - 50 Hz

**15. Control type:**

Digital

**16. Display size:**

9"

**17. Refrigerant:**

R452a

**18. Number of GN / EN:**

8

**19. GN / EN size in device:**

GN 1/1

**20. GN device depth:**

65

**21. Maximum device temperature [°C]:**

-40

**22. Shock freeze cycle kg / min (-18 ° C):**

25/240

**23. Shock cooling cycle kg / min (+3 ° C):**

35/90

**24. Insulation thickness [mm]:**

80

**25. Long-term cooling function:**

Yes

**26. Longterm freezing function:**

Yes

**27. Probe:**

4-points

**28. Self-diagnostics:**

Yes

# Technical data sheet

Technical parameters



## Multifunctional kitchen appliance INFINITY 8x GN 1/1

Model

SAP Code

00010705

### 29. Low temperature heat treatment:

Yes

### 30. Low temperature cooking span [°C]:

52-85

### 31. Thaving cycle:

Yes

### 32. User programmable cycles:

Yes, with save options

### 33. USB port:

Yes, for HACCP and firmware update

### 34. Castors:

Optional

### 35. Real time monitoring paramaters:

Energy consumption, Chamber temperature, Probe temperature, Graph with the course of temperature and consumption

### 36. Cross-section of conductors CU [mm<sup>2</sup>]:

0,5

- Výkon (kW): 2,4-3,3 (230 V)