

**Product features** 

#### Cooking range electric with static electric oven GN 2/1 - 4x plate 400 V

**Model SAP Code** 00012312



- Device type: Electric unit
- Power consumption of the zone 1 [kW]: 3,5
- Power consumption of the zone 2 [kW]: 3,5
- Power consumption of the zone 3 [kW]: 3,5
- Power consumption of the zone 4 [kW]: 3,5
- Type of internal part of the appliance 1 (eg oven): Electric
- Type of internal part of the appliance 2 (eg oven): Static
- Material: AISI 304 top plate, AISI 430 cladding

SAP Code	00012312	Power consumption of the zone 2 [kW]	3,5
Net Width [mm]	800	Power consumption of the zone 3 [kW]	3,5
Net Depth [mm]	900	Power consumption of the zone 4 [kW]	3,5
Net Height [mm]	900	Type of internal part of the appliance 1 (eg oven)	Electric
Net Weight [kg]	113.00	Type of internal part of the appliance 2 (eg oven)	Static
Power electric [kW]	20.000	Width of internal part [mm]	682
Loading	400 V / 3N - 50 Hz	Depth of internal part [mm]	558
Number of zones	4	Height of internal part [mm]	348
Power consumption of the zone 1 [kW]	3,5	Diameter of device [mm]	300



**Product benefits** 

#### Cooking range electric with static electric oven GN 2/1 - 4x plate 400 V

 Model
 SAP Code
 00012312

#### Round plates

quick warm-up efficient cooking on a round surface with easy adhesion to dishes

- time-saving in food preparation
- easy to use thanks to the large surface area of the cooking plates

#### Internal thermostatic plate protection

longer service life of the plates

- no overheating of the plates and no cracking

## Degree of protection of the control elements IPX4

maintenance-free system resistance to splash water long life

- savings on service interventions
- easy cleaning and maintenance of equipment

#### All-stainless design

long life resistance of a ground steel plate with a thickness of 10 mm

- savings on service interventions
- higher corrosion resistance

#### Hygienic moldings of the top plate

absence of sharp corners and edges (potential places where dirt could stick) smooth transitions

- easy quick cleaning

## Large electric oven with four positions for racks with static cooking

possibility of baking high capacity and variability all-stainless design

- suitable for yeast dishes and desserts
- long service life
- easy to clean



### Technical parameters

Cooking range electric with static electric oven GI	N 2/1 - 4x plate 400 V
Model SAP Code	00012312
<b>1. SAP Code:</b> 00012312	<b>15. Worktop material:</b> AISI 304
2. Net Width [mm]: 800	16. Worktop Thickness [mm]: 1.50
3. Net Depth [mm]: 900	17. Number of zones:
<b>4. Net Height [mm]:</b> 900	18. Power consumption of the zone 1 [kW]: 3,5
5. Net Weight [kg]: 113.00	19. Power consumption of the zone 2 [kW]: 3,5
<b>6. Gross Width [mm]:</b> 970	20. Power consumption of the zone 3 [kW]:  3,5
<b>7. Gross depth [mm]:</b> 840	21. Power consumption of the zone 4 [kW]:  3,5
8. Gross Height [mm]: 1160	22. Maximum device temperature [°C]: 300
9. Gross Weight [kg]: 123.00	23. Minimum device temperature [°C]: 50
<b>10. Device type:</b> Electric unit	24. Number of power control stages:
<b>L1. Construction type of device:</b> Stationary	25. Adjustable feet:  Yes
12. Power electric [kW]: 20.000	26. Number of burners/hot plates:
<b>13. Loading:</b> 400 V / 3N - 50 Hz	27. Diameter of device [mm]:
14. Material:	28. Type of electric cooking zones:

Oval

AISI 304 top plate, AISI 430 cladding



### Technical parameters

Cooking range electric with static electric oven GN 2/1 - 4x plate 400 V				
Model	AP Code	00012312		
29. Oven Type: electrical static		<b>34. Width of internal part [mm]:</b> 682		
<b>30. Oven size:</b> GN 2/1		<b>35. Depth of internal part [mm]:</b> 558		
<b>31. Oven material:</b> Stainless steel		<b>36. Height of internal part [mm]:</b> 348		
<b>32. Type of internal part of the applian</b> Electric	nce 1 (eg oven):	<b>37. Gasket:</b> Yes		
33. Type of internal part of the applian	nce 2 (eg oven):			

Static