



Cooking range electric 8x plate on open cabinet 400 V

Model

SAP Code

00002954



- Device type: Electric unit
- Power consumption of the zone 1 [kW]: 3,5
- Power consumption of the zone 2 [kW]: 3,5
- Power consumption of the zone 3 [kW]: 3,5
- Power consumption of the zone 4 [kW]: 3,5
- Power consumption of the zone 5 [kW]: 3,5
- Power consumption of the zone 6 [kW]: 3,5
- Protection of controls: IPX5
- Material: AISI 304

SAP Code	00002954	Power consumption of the zone 2 [kW]	3,5
Net Width [mm]	1600	Power consumption of the zone 3 [kW]	3,5
Net Depth [mm]	900	Power consumption of the zone 4 [kW]	3,5
Net Height [mm]	900	Power consumption of the zone 5 [kW]	3,5
Net Weight [kg]	128.00	Power consumption of the zone 6 [kW]	3,5
Power electric [kW]	28.000	Power consumption of the zone 7 [kW]	3,5
Loading	400 V / 3N - 50 Hz	Power consumption of the zone 8 [kW]	3,5
Number of zones	8	Diameter of device [mm]	300
Power consumption of the zone 1 [kW]	3,5		





Cooking range electric 8x plate on open cabinet 400 V

 Model
 SAP Code
 00002954

Internal thermostatic plate protection

longer service life of the plates

- no overheating of the plates and no cracking

Degree of protection of the control elements IPX5

maintenance-free system resistance to splash water long life

- savings on service interventions
- easy cleaning and maintenance of equipment

All-stainless design

the material does not cut wear resistance of the material long life

- savings on service interventions
- easy cleaning and maintenance of equipment

Hygienic moldings of the top plate

absence of sharp corners and edges (potential places where dirt could stick) smooth transitions

- easy quick cleaning

tel.: +420 381 582 284 e-mail: rmgastro@rmgastro.com web: www.rmgastro.com



Technical parameters

Cooking range electric 8x plate or	n open cabinet 400 V	
Model	SAP Code	00002954
1. SAP Code: 00002954		15. Exterior color of the device: Stainless steel
2. Net Width [mm]: 1600		16. Material: AISI 304
3. Net Depth [mm]: 900		17. Worktop type: Molded - comfortable cleaning maintenance
4. Net Height [mm]: 900		18. Worktop material: AISI 304
5. Net Weight [kg]: 128.00		19. Worktop Thickness [mm]: 2.00
6. Gross Width [mm]: 1670		20. Number of zones:
7. Gross depth [mm]: 1050		21. Power consumption of the zone 1 [kW]: 3,5
8. Gross Height [mm]: 1120		22. Power consumption of the zone 2 [kW]: 3,5
9. Gross Weight [kg]: 154.00		23. Power consumption of the zone 3 [kW]: 3,5
10. Device type: Electric unit		24. Power consumption of the zone 4 [kW]: 3,5
11. Construction type of device: With substructure		25. Power consumption of the zone 5 [kW]: 3,5
12. Power electric [kW]: 28.000		26. Power consumption of the zone 6 [kW]: 3,5
13. Loading: 400 V / 3N - 50 Hz		27. Power consumption of the zone 7 [kW]: 3,5

28. Power consumption of the zone 8 [kW]:

3,5

IPX5

14. Protection of controls:



Technical parameters

Cooking range electric 8x plate on open cabinet 400 V				
Model	SAP Code	00002954		
29. Maximum device temperature [°C1:	34. Adjustable feet:		
300		Yes		
30. Minimum device temperature [°C]: 50		35. Number of burners/hot plates:		
31. Number of power control stages: 6		36. Diameter of device [mm]:		
32. Service accessibility: From the front by removing the fro fluid containers	nt panel and waste	37. Burner type: Cast iron, detachable, with internal and external combustion		
33. Safety thermostat: Yes		38. Type of electric cooking zones: Oval		

e-mail: rmgastro@rmgastro.com web: www.rmgastro.com