

# Technical data sheet



## Product features

### Fry-top griddle plate 71x65 electric smooth on open cabinet 400 V

<b>Model</b>	<b>SAP Code</b>	00012296
--------------	-----------------	----------



- Top type: Smooth
- Worktop material: Sandblasted steel
- Maximum device temperature [°C]: 300

<b>SAP Code</b>	00012296	<b>Net Weight [kg]</b>	126.00
<b>Net Width [mm]</b>	800	<b>Power electric [kW]</b>	12.000
<b>Net Depth [mm]</b>	900	<b>Loading</b>	400 V / 3N - 50 Hz
<b>Net Height [mm]</b>	900	<b>Top type</b>	Smooth

### Fry-top griddle plate 71x65 electric smooth on open cabinet 400 V

Model

SAP Code

00012296

1

#### All-stainless design

long life  
corrosion resistance of the top plate material

- savings on service interventions
- higher corrosion resistance

2

#### Degree of protection of the control elements IPX4

maintenance-free system  
resistance to splash water  
long life

- savings on service interventions
- easy cleaning and maintenance of equipment

3

#### Outlet for waste liquids

ensures that oil drips into the socket

- easy maintenance
- easy cleaning

4

#### High detachable hem

better hygienic conditions  
preventing grease from splashing onto ancillary equipment

- easy maintenance
- easy cleaning

5

#### Smooth steel plate

good heat transfer and the surface does not get scratched  
enables preparation on smooth or grooved plates

- time-saving for food preparation
- no reheating and long cooking times

6

#### Two-zone hotplate control

allows you to prepare several dishes at the same time in different stages of preparation

- time saving
- high productivity

# Technical data sheet



## Technical parameters

### Fry-top griddle plate 71x65 electric smooth on open cabinet 400 V

<b>Model</b>	<b>SAP Code</b>	00012296
--------------	-----------------	----------

**1. SAP Code:**

00012296

**2. Net Width [mm]:**

800

**3. Net Depth [mm]:**

900

**4. Net Height [mm]:**

900

**5. Net Weight [kg]:**

126.00

**6. Gross Width [mm]:**

970

**7. Gross depth [mm]:**

840

**8. Gross Height [mm]:**

1160

**9. Gross Weight [kg]:**

145.00

**10. Device type:**

Electric unit

**11. Construction type of device:**

Stationary

**12. Power electric [kW]:**

12.000

**13. Loading:**

400 V / 3N - 50 Hz

**14. Protection of controls:**

IPX4

**15. Material:**

AISI 304 top plate, AISI 430 cladding

**16. Worktop material:**

Sandblasted steel

**17. Worktop Thickness [mm]:**

15.00

**18. Maximum device temperature [°C]:**

300

**19. Minimum device temperature [°C]:**

50

**20. Adjustable feet:**

Yes

**21. Top type:**

Smooth

**22. Cross-section of conductors CU [mm<sup>2</sup>]:**

4

- Výkon (kW): 30-37 (230 V); 53-64 (400 V)