

# Technical data sheet

## Product features



### Spiral mixer kneader 2 speeds removable bowl 15 l 400 V

<b>Model</b>	<b>SAP Code</b>	00010023
--------------	-----------------	----------



- Chamber volume [l]: 15
- Number of speeds of device: 2
- Control type: Mechanical
- Start /stop: Yes

<b>SAP Code</b>	00010023	<b>Loading</b>	400 V / 3N - 50 Hz
<b>Net Width [mm]</b>	690	<b>Number of speeds of device</b>	2
<b>Net Depth [mm]</b>	335	<b>Chamber volume [l]</b>	15
<b>Net Height [mm]</b>	630	<b>Height of internal part [mm]</b>	210
<b>Net Weight [kg]</b>	79.00	<b>Weight capacity of the device container [kg]</b>	12.00
<b>Power electric [kW]</b>	0.800		

# Technical data sheet

Technical drawing




Spiral mixer kneader 2 speeds removable bowl 15 l 400 V

Model

SAP Code

00010023



HTS15; HTS20; HTS33;  
HTS42; HTS53

# Technical data sheet

Technical parameters



## Spiral mixer kneader 2 speeds removable bowl 15 l 400 V

**Model**

**SAP Code**

00010023

**1. SAP Code:**

00010023

**2. Net Width [mm]:**

690

**3. Net Depth [mm]:**

335

**4. Net Height [mm]:**

630

**5. Net Weight [kg]:**

79.00

**6. Gross Width [mm]:**

770

**7. Gross depth [mm]:**

420

**8. Gross Height [mm]:**

720

**9. Gross Weight [kg]:**

86.00

**10. Exterior color of the device:**

White

**11. Material:**

Stainless steel

**12. Device type:**

Electric unit

**13. Power electric [kW]:**

0.800

**14. Loading:**

400 V / 3N - 50 Hz

**15. Chamber volume [l]:**

15

**16. Start /stop:**

Yes

**17. Control type:**

Mechanical

**18. Number of speeds of device:**

2

**19. Height of internal part [mm]:**

210

**20. Weight capacity of the device container [kg]:**

12.00

**21. Cross-section of conductors CU [mm<sup>2</sup>]:**

1

- Výkon (kW): 3,7-5 (230 V); 6,4-8,7 (400 V)