

# Technical data sheet

## Product features



### Blast chiller/freezer 8x GN 1/1 TouchScreen stainless steel 230 V

<b>Model</b>	<b>SAP Code</b>	00009361
--------------	-----------------	----------



- Shock cooling cycle kg / min (+3 ° C): 35/90
- Shock freeze cycle kg / min (-18 ° C): 25/240
- Maximum device temperature [°C]: -40
- Probe: 4-points
- Insulation thickness [mm]: 80
- Control type: Touchscreen
- Display size: 9"
- User programmable cycles: Yes
- Thaving cycle: Yes

<b>SAP Code</b>	00009361	<b>Number of GN / EN</b>	8
<b>Net Width [mm]</b>	790	<b>GN / EN size in device</b>	GN 1/1
<b>Net Depth [mm]</b>	839	<b>GN device depth</b>	65
<b>Net Height [mm]</b>	1322	<b>Shock cooling cycle kg / min (+3 ° C)</b>	35/90
<b>Net Weight [kg]</b>	126.00	<b>Shock freeze cycle kg / min (-18 ° C)</b>	25/240
<b>Power electric [kW]</b>	0.900	<b>Control type</b>	Touchscreen
<b>Loading</b>	230 V / 1N - 50 Hz		

# Technical data sheet

Technical drawing




Blast chiller/freezer 8x GN 1/1 TouchScreen stainless steel 230 V

Model

SAP Code

00009361



# Technical data sheet

Product benefits



## Blast chiller/freezer 8x GN 1/1 TouchScreen stainless steel 230 V

Model

SAP Code

00009361

1

### Stainless steel body and interior

endurance  
hygiene

- thanks to the all stainless steel construction it is very easy to maintain and thus saves costs
- meeting hygiene standards

2

### Monitoring of HACCP parameters

easy registration of all necessary parameters

- hassle-free proof of proper food handling in the event of an inspection

3

### Multipoint probe

precise monitoring of the cooling/freezing temperature

- food safety is better ensured thanks to the probe
- saves energy and time by stopping cooling/freezing when temperature is reached

4

### Thawing

readiness of frozen food for processing on time

- time saving
- controlled food handling

# Technical data sheet

Technical parameters



## Blast chiller/freezer 8x GN 1/1 TouchScreen stainless steel 230 V

**Model**

**SAP Code**

00009361

**1. SAP Code:**

00009361

**2. Net Width [mm]:**

790

**3. Net Depth [mm]:**

839

**4. Net Height [mm]:**

1322

**5. Net Weight [kg]:**

126.00

**6. Gross Width [mm]:**

846

**7. Gross depth [mm]:**

860

**8. Gross Height [mm]:**

1450

**9. Gross Weight [kg]:**

146.00

**10. Device type:**

Electric unit

**11. Material:**

AISI 304

**12. Exterior color of the device:**

Stainless steel

**13. Power electric [kW]:**

0.900

**14. Loading:**

230 V / 1N - 50 Hz

**15. Control type:**

Touchscreen

**16. Display size:**

9"

**17. Refrigerant:**

R452a

**18. Number of GN / EN:**

8

**19. GN / EN size in device:**

GN 1/1

**20. GN device depth:**

65

**21. Maximum device temperature [°C]:**

-40

**22. Shock freeze cycle kg / min (-18 ° C):**

25/240

**23. Shock cooling cycle kg / min (+3 ° C):**

35/90

**24. Insulation thickness [mm]:**

80

**25. Long-term cooling function:**

Yes

**26. Longterm freezing function:**

Yes

**27. Probe:**

4-points

**28. Self-diagnostics:**

Yes

# Technical data sheet

Technical parameters



## Blast chiller/freezer 8x GN 1/1 TouchScreen stainless steel 230 V

**Model**

**SAP Code**

00009361

### 29. Interior lighting:

Yes

### 30. HACCP:

Yes

### 31. Filter:

Removable

### 32. Thaving cycle:

Yes

### 33. User programmable cycles:

Yes

### 34. USB port:

Yes, for HACCP and firmware update

### 35. Castors:

Optional

### 36. Real time monitoring paramaters:

Energy consumption, Chamber temperature, Probe temperature, Graph with the course of temperature and consumption

### 37. Cross-section of conductors CU [mm<sup>2</sup>]:

0,5

- Výkon (kW): 2,4-3,3 (230 V)